

NXT ENCLOSED CARGO/SNOW

FLEXHAUL SERIES

TRITON
TRAILERS



6x12 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (612R Models)
- > Torsion Axle (612R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	6x12 SILVER MOD (RAMP)	6x12 ALUMINUM (RAMP)	6x12 SILVER MOD (RAMP-TORSION)	6x12 ALUMINUM (RAMP-TORSION)
Model Number	NXT-612R-S	NXT-612R-A	NXT-612R-TR-S	NXT-612R-TR-A
Subframe	2"x3"	2"x3"	2"x3"	2"x3"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	72"x12'	72"x12'	72"x12'	72"x12'
Interior Height	73"	73"	73"	73"
Rear Door Opening (WxH)	64"x70-1/2"	64"x70-1/2"	64"x70-1/2"	64"x70-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	1-3500# Torsion Idler	1-3500# Torsion Idler
GVWR	2990#	2990#	2990#	2990#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"
Coupler Rating/Ball Size	Class III / 2"	Class III / 2"	Class III / 2"	Class III / 2"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 5000#	(2) 5000#	(2) 5000#	(2) 5000#
Curb Weight	955#	955#	955#	955#
Payload	2035#	2035#	2035#	2035#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 72")
Add 6" Height (rear opening of 75")
Add 9" Height (rear opening of 78")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers

ACCESSORIES
Quickslide in Floor (2) Rows
INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade To 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

6x12 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (612S Models)
- > Torsion Axle (612S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	6x12 SILVER MOD (BARN)	6x12 ALUMINUM (BARN)	6x12 SILVER MOD (BARN-TORSION)	6x12 ALUMINUM (BARN-TORSION)
Model Number	NXT-612S-S	NXT-612S-A	NXT-612S-TR-S	NXT-612S-TR-A
Subframe	2"x3"	2"x3"	2"x3"	2"x3"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	72"x12'	72"x12'	72"x12'	72"x12'
Interior Height	73"	73"	73"	73"
Rear Door Opening (WxH)	64"x68-1/2"	64"x68-1/2"	64"x68-1/2"	64"x68-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	1-3500# Torsion Idler	1-3500# Torsion Idler
GVWR	2990#	2990#	2990#	2990#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Silver Mods
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x66"	32"x66"	32"x66"	32"x66"
Coupler Rating/Ball Size	Class III / 2"	Class III / 2"	Class III / 2"	Class III / 2"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 5000#	(2) 5000#	(2) 5000#	(2) 5000#
Curb Weight	955#	955#	955#	955#
Payload	2035#	2035#	2035#	2035#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 72")
Add 6" Height (rear opening of 75")
Add 9" Height (rear opening of 78")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers

ACCESSORIES
Quickslide in Floor (2) Rows
INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade To 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x14 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7R Models)
- > Torsion Axle (7R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x14 SILVER MOD (RAMP)	7x14 ALUMINUM (RAMP)	7x14 SILVER MOD (RAMP-TORSION)	7x14 ALUMINUM (RAMP-TORSION)
Model Number	NXT-714R-S	NXT-714R-A	NXT-714R-TR-S	NXT-714R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x14'	84"x14'	84"x14'	84"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1480#	1480#	1480#	1480#
Payload	5520#	5520#	5520#	5520#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x14 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7S Models)
- > Torsion Axle (7S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x14 SILVER MOD (BARN)	7x14 ALUMINUM (BARN)	7x14 SILVER MOD (BARN-TORSION)	7x14 ALUMINUM (BARN-TORSION)
Model Number	NXT-714S-S	NXT-714S-A	NXT-714S-TR-S	NXT-714S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x14'	84"x14'	84"x14'	84"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1480#	1480#	1480#	1480#
Payload	5520#	5520#	5520#	5520#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x16 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7R Models)
- > Torsion Axle (7R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x16 SILVER MOD (RAMP)	7x16 ALUMINUM (RAMP)	7x16 SILVER MOD (RAMP-TORSION)	7x16 ALUMINUM (RAMP-TORSION)
Model Number	NXT-716R-S	NXT-716R-A	NXT-716R-TR-S	NXT-716R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x16'	84"x16'	84"x16'	84"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"	76"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1580#	1580#	1580#	1580#
Payload	5420#	5420#	5420#	5420#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7x16 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (7S Models)
- > Torsion Axle (7S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7x16 SILVER MOD (BARN)	7x16 ALUMINUM (BARN)	7x16 SILVER MOD (RAMP - TORSION)	7x16 ALUMINUM (RAMP - TORSION)
Model Number	NXT-716S-S	NXT-716S-A	NXT-716S-TR-S	NXT-716S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	84"x16'	84"x16'	84"x16'	84"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"	76"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1580#	1580#	1580#	1580#
Payload	5420#	5420#	5420#	5420#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x12

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7412R Models]
- > Double Barn Door w/ Full Length Locking Bar [7412S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x12 SILVER MOD	7.4x12 ALUMINUM	7.4x12 SILVER MOD (TORSION)	7.4x12 ALUMINUM (TORSION)
Model Number	NXT-7412R-TR-S	NXT-7412R-TR-A	NXT-7412S-TR-S	NXT-7412S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x12'	88"x12'	88"x12'	88"x12'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1610#	1610#	1610#	1610#
Payload	5390#	5390#	5390#	5390#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x14

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7414R Models]
- > Double Barn Door w/ Full Length Locking Bar [7414S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x14 SILVER MOD	7.4x14 ALUMINUM	7.4x14 SILVER MOD (TORSION)	7.4x14 ALUMINUM (TORSION)
Model Number	NXT-7414R-TR-S	NXT-7414R-TR-A	NXT-7414S-TR-S	NXT-7414S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x14'	88"x14'	88"x14'	88"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1750#	1750#	1750#	1750#
Payload	5250#	5250#	5250#	5250#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Box Tube and 16" O/C Package
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x16

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stoneguard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7416R Models]
- > Double Barn Door w/ Full Length Locking Bar [7416S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x16 SILVER MOD	7.4x16 ALUMINUM	7.4x16 SILVER MOD (TORSION)	7.4x16 ALUMINUM (TORSION)
Model Number	NXT-7416R-TR-S	NXT-7416R-TR-A	NXT-7416S-TR-S	NXT-7416S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x16'	88"x16'	88"x16'	88"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1890#	1890#	1890#	1890#
Payload	5110#	5110#	5110#	5110#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.4x18

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction
- > 24" Stone Guard
- > Torsion Braked Zero Degree Axle
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead) [7418R Models]
- > Double Barn Door w/ Full Length Locking Bar [7418S Models]
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.4x18 SILVER MOD	7.4x18 ALUMINUM	7.4x18 SILVER MOD (TORSION)	7.4x18 ALUMINUM (TORSION)
Model Number	NXT-7418R-TR-S	NXT-7418R-TR-A	NXT-7418S-TR-S	NXT-7418S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	88"x18'	88"x18'	88"x18'	88"x18'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	81-1/2"x79-1/2"	81-1/2"x79-1/2"	81-1/2"x77-1/2"	81-1/2"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2030#	2030#	2030#	2030#
Payload	4970#	4970#	4970#	4970#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x12 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75R Models)
- > Torsion Axle (75R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x12 SILVER MOD (RAMP)	7.5x12 ALUMINUM (RAMP)	7.5x12 SILVER MOD (RAMP-TORSION)	7.5x12 ALUMINUM (RAM -TORSION)
Model Number	NXT-7512R-S	NXT-7512R-A	NXT-7512R-TR-S	NXT-7512R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x12'	90"x12'	90"x12'	90"x12'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1650#	1650#	1650#	1650#
Payload	5350#	5350#	5350#	5350#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x12 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75S Models)
- > Torsion Axle (75S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x12 SILVER MOD (BARN)	7.5x12 ALUMINUM (BARN)	7.5x12 SILVER MOD (RAMP-TORSION)	7.5x12 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7512S-S	NXT-7512S-A	NXT-7512S-TR-S	NXT-7512S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x12'	90"x12'	90"x12'	90"x12'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1650#	1650#	1650#	1650#
Payload	5350#	5350#	5350#	5350#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x14 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75R Models)
- > Torsion Axle (75R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x14 SILVER MOD (RAMP)	7.5x14 ALUMINUM (RAMP)	7.5x14 SILVER MOD (RAMP-TORSION)	7.5x14 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7514R-S	NXT-7514R-A	NXT-7514R-TR-S	NXT-7514R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x14'	90"x14'	90"x14'	90"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1790#	1790#	1790#	1790#
Payload	5210#	5210#	5210#	5210#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x14 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75S Models)
- > Torsion Axle (75S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x14 SILVER MOD (BARN)	7.5x14 ALUMINUM (BARN)	7.5x14 SILVER MOD (RAMP-TORSION)	7.5x14 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7514S-S	NXT-7514S-A	NXT-7514S-TR-S	NXT-7514S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x14'	90"x14'	90"x14'	90"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1790#	1790#	1790#	1790#
Payload	5210#	5210#	5210#	5210#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x16 RAMP DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (75R Models)
- > Torsion Axle (75R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x16 SILVER MOD (RAMP)	7.5x16 ALUMINUM (RAMP)	7.5x16 SILVER MOD (RAMP-TORSION)	7.5x16 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7516R-S	NXT-7516R-A	NXT-7516R-TR-S	NXT-7516R-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x16'	90"x16'	90"x16'	90"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"	82"x79-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1930#	1930#	1930#	1930#
Payload	5070#	5070#	5070#	5070#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

7.5x16 BARN DOOR

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stoneguard
- > Leaf Spring Axle w/ 4" Drop (75S Models)
- > Torsion Axle (75S-TR Models)
- > Double Barn Door w/ Full Length Locking Bar
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	7.5x16 SILVER MOD (BARN)	7.5x16 ALUMINUM (BARN)	7.5x16 SILVER MOD (RAMP-TORSION)	7.5x16 ALUMINUM (RAMP-TORSION)
Model Number	NXT-7516S-S	NXT-7516S-A	NXT-7516S-TR-S	NXT-7516S-TR-A
Subframe	2"x4"	2"x4"	2"x4"	2"x4"
Floor & Roof Studs	24" O/C	24" O/C	24" O/C	24" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	90"x16'	90"x16'	90"x16'	90"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"	82"x77-1/2"
V-Nose	24"	24"	24"	24"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	1930#	1930#	1930#	1930#
Payload	5070#	5070#	5070#	5070#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to 16" O/C Floor Crossmembers
Upgrade to 16" O/C Ceiling Crossmembers
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x14

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x14 SILVER MOD	8.5x14 ALUMINUM	8.5x14 SILVER MOD (TORSION)	8.5x14 ALUMINUM (TORSION)
Model Number	NXT-8514R-S	NXT-8514R-A	NXT-8514R-TR-S	NXT-8514R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x14'	99"x14'	99"x14'	99"x14'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2005#	2005#	2005#	2005#
Payload	4995#	4995#	4995#	4995#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x16

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x16 SILVER MOD	8.5x16 ALUMINUM	8.5x16 SILVER MOD (TORSION)	8.5x16 ALUMINUM (TORSION)
Model Number	NXT-8516R-S	NXT-8516R-A	NXT-8516R-TR-S	NXT-8516R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x16'	99"x16'	99"x16'	99"x16'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2125#	2125#	2125#	2125#
Payload	4875#	4875#	4875#	4875#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x18

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x18 SILVER MOD	8.5x18 ALUMINUM	8.5x18 SILVER MOD (TORSION)	8.5x18 ALUMINUM (TORSION)
Model Number	NXT-8518R-S	NXT-8518R-A	NXT-8518R-TR-S	NXT-8518R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x18'	99"x18'	99"x18'	99"x18'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2240#	2240#	2240#	2240#
Payload	4760#	4760#	4760#	4760#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

8.5x20

STANDARD FEATURES

- > All-Aluminum Construction, Integrated Frame Design
- > One-Piece Aluminum Roof
- > V-Nose Construction (Anodized Radius Nose Cone)
- > 24" Stone Guard
- > Leaf Spring Axle w/ 4" Drop (85R Models)
- > Torsion Axle (85R-TR Models)
- > Triton Tapered Rear Ramp w/ Spring Assist (Triton Bulkhead)
- > Plastic Salem Vents
- > (2) Interior Dome Lights w/ Switch
- > Exterior LED Lighting
- > 3/4" Water Resistant Decking
- > 3/8" Water Resistant Interior Walls
- > Interior Cove Trim
- > 2-5/16" Coupler w/ Safety Chains
- > Screwless .030 Bonded Sides
- > Triton Prestige Exterior Trim
- > 4-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	8.5x20 SILVER MOD	8.5x20 ALUMINUM	8.5x20 SILVER MOD (TORSION)	8.5x20 ALUMINUM (TORSION)
Model Number	NXT-8520R-S	NXT-8520R-A	NXT-8520R-TR-S	NXT-8520R-TR-A
Subframe	2"x5"	2"x5"	2"x5"	2"x5"
Floor & Roof Studs	16" O/C	16" O/C	16" O/C	16" O/C
Wall Studs	16" O/C	16" O/C	16" O/C	16" O/C
Box (WxL)	99"x20'	99"x20'	99"x20'	99"x20'
Interior Height	82"	82"	82"	82"
Rear Door Opening (WxH)	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"	91"x79-1/2"
V-Nose	36"	36"	36"	36"
Axle(s) - Qty/Rating	2-3500# Braked	2-3500# Braked	2-3500# Torsion Braked	2-3500# Torsion Braked
GVWR	7000#	7000#	7000#	7000#
Wheels	15" Silver Mods	15" Aluminum	15" Silver Mods	15" Aluminum
Tires	205/75R15	205/75R15	205/75R15	205/75R15
Side Door	32"x72"	32"x72"	32"x72"	32"x72"
Coupler Rating/Ball Size	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"	Class IV / 2-5/16"
Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack	2000# Center Jack
Safety Chains	(2) 7800#	(2) 7800#	(2) 7800#	(2) 7800#
Curb Weight	2370#	2370#	2370#	2370#
Payload	4630#	4630#	4630#	4630#

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS
Add 3" Height (rear opening of 81")
Add 6" Height (rear opening of 84")
Upgrade to Box Tube Crossmembers
ACCESSORIES
Quickslide in Floor (2) Rows

INTERIOR OPTIONS
White Vinyl Backed Luan Ceiling
White Vinyl Backed Luan Walls from 3/8" WR
White Vinyl Backed Luan Interior Package
Upgrade to 3/4" Quad Ply Decking

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

SIDE DOORS & STEPS OPTIONS

Window in Side Access Door
Screen Door in Side Access Door
Keyless Entry For Side Access Door
Spring Door Chain Kit
Step Kit - Factory Installed
Fold-Out Step Kit
32" Wide Fold Out Step Kit
Lighted Grab Handle w/Switch
Additional Locking Bar for Side Door
Side Door Custom Color Charge (Per Door; other than Black/White/Pewter/Gray)
Move Standard Lowboy (LB) Door to Beavertail Position (6'6", 7', 7'6")
Additional LB Side Door (6'6")
Additional LB Side Door (7')
Additional LB Side Door (7'6")
Additional LB Side Door, Beavertail Position (6'6")
Additional LB Side Door, Beavertail Position (7')
Additional LB Side Door, Beavertail Position (7'6")
Side Door Lock

CONSTRUCTION OPTIONS

12" Extended Tongue (Includes Third Tongue Member; NXT Models)
Rear Spoiler w/LED Load Lights (7' Wide NXT Models)
Rear Spoiler w/LED Load Lights (7'6" Wide NXT Models)
Rear Spoiler w/LED Load Lights (8'6" Wide NXT Models)
Rear Spoiler w/LED Load Lights (7' Wide Vault Models)
Rear Spoiler w/LED Load Lights (7'6" Wide Vault Models)
Rear Spoiler w/LED Load Lights (8'6" Wide Vault Models)
Spread Axles (7' Wide; Torsion Ride Only)
Spread Axles (7'6" Wide; Torsion Ride Only)
Spread Axles w/Skirting (8'6" Torsion Ride Only & CH; 8' NXT or Vault Available w/ No Skirting)

CAR ACCESS DOOR OPTIONS

Car Access Door (48"x60")
Car Access Door Custom Color Charge (Other than Black/White/Pewter/Gray)
6'x8' Elite Escape Door w/Removable Fender Kit (NXT CH Models)

SXS / UTV ACCESS DOOR OPTIONS

Flip-Up Side Elite Escape Door (NXT 7.5/7.4 Wide)

CONCESSION DOOR OPTIONS

Concession Door w/36"x48" Rough Opening
Concession Door w/36"x72" Rough Opening

FUEL DOOR OPTIONS

Square Fuel Door

NXT FRAME OPTIONS

Upgrade to Box Tube Crossmembers, 12' (NXT Models)
Upgrade to Box Tube Crossmembers, 14' (NXT Models)
Upgrade to Box Tube Crossmembers, 16' (NXT Models)
Upgrade to Box Tube Crossmembers, 18' (NXT Models)
Upgrade to Box Tube Crossmembers, 20' (NXT Models)
Upgrade to Box Tube Crossmembers, 24' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 12' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 14' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 16' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 18' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 12' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 14' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 16' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 18' (NXT Models)

SIDE WINDOW OPTIONS

24"x18" Side Window
20"x30" Side Window

RAMP ACCESSORIES OPTIONS

Remove Front Ramp Door
Aluminum Ramp Extension Kit (7' & 8' Wide)

FLOORING OPTIONS

Upgrade to 3/4" Quad Ply Decking, 10'
Upgrade to 3/4" Quad Ply Decking, 12'
Upgrade to 3/4" Quad Ply Decking, 14'
Upgrade to 3/4" Quad Ply Decking, 16'
Upgrade to 3/4" Quad Ply Decking, 18'
Upgrade to 3/4" Quad Ply Decking, 20'
Upgrade to 3/4" Quad Ply Decking, 24'
Upgrade to TPO Coin Flooring (Black), 10'
Upgrade to TPO Coin Flooring (Black), 12'
Upgrade to TPO Coin Flooring (Black), 14'
Upgrade to TPO Coin Flooring (Black), 16'
Upgrade to TPO Coin Flooring (Black), 18'
Upgrade to TPO Coin Flooring (Black), 20'
Upgrade to TPO Coin Flooring (Black), 24'
Upgrade to 3/4" Marine Grade Decking, 10'
Upgrade to 3/4" Marine Grade Decking, 12'
Upgrade to 3/4" Marine Grade Decking, 14'
Upgrade to 3/4" Marine Grade Decking, 16'
Upgrade to 3/4" Marine Grade Decking, 18'
Upgrade to 3/4" Marine Grade Decking, 20'
Upgrade to 3/4" Marine Grade Decking, 24'

EXTRUDED ALUMINUM FLOORING OPTIONS (VAULT & NXT)

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 10'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 12'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 14'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 16'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 18'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 20' Flat Front Models
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 24' Flat Front Models
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 20' V-Nose Models
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 24' V-Nose Models

BLACK QUAD FLOORING SNOW MODEL OPTIONS

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 147, NXTS 1474 & 1475)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 167)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 187, NXTS 1874 & 1875)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 207)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 227, NXTS 2274 & 2275)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 247, NXTS 2474, & 2475)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS148)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 168, NXTS168)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS188)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 208, NXTS 208)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 228, NXTS 228)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 248, NXTS 248)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB16, NXTS LB16)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS LB18)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB20)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB22, NXTS LB22)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB24, NXTS LB24)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB28)

BLACK QUAD KICK PANEL OPTIONS

Quad Kick Panel, 14'
Quad Kick Panel, 16'
Quad Kick Panel, 18'
Quad Kick Panel, 20'
Quad Kick Panel, 22'
Quad Kick Panel, 24'
Quad Kick Panel, LB 16'
Quad Kick Panel, LB 20'
Quad Kick Panel, LB 22'
Quad Kick Panel, LB 24'
Quad Kick Panel, LB 28'

WHITE LAUAN INTERIOR WALL OPTIONS (INCLUDES EXTRUDED DIVIDERS)

White Vinyl Backed Lauan Walls (From 3/8" WR), 12' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 14' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 16' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 18' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 20' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 10' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 12' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 14' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 16' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 18' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 20' (NXT & Vault)

WHITE LAUAN INTERIOR OPTIONS (INCLUDES COVE PANELS; PANELS NOT LINED ON NXTS MODELS)

White Lauan Interior (PR147/NXTS1474/1475)
White Lauan Interior (PR187/NXTS1874/1875)
White Lauan Interior (PR227/NXTS2274/2275)
White Lauan Interior (PR247/NXTS2474/2475)
White Lauan Interior (NXTS148)
White Lauan Interior (PR168/LB16/NXTS168)
White Lauan Interior (NXTSLB18)
White Lauan Interior (PR208/LB20/NXTS208)
White Lauan Interior (PR228/LB22/LBHD22/NXTS228/NXTS22LB)
White Lauan Interior (PR248/LB24/LBHD24/NXTS248/NXTS24LB)
White Lauan Interior (LBHD28)

WHITE LAUAN CEILING OPTIONS (INCLUDES EXTRUDED DIVIDERS)

White Vinyl Backed Lauan Ceiling, 10' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 12' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 14' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 16' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 18' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 20' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 24' (NXT/Vault)
White Lauan Interior (PR208/LB20/NXTS208)
White Lauan Interior (PR228/LB22/LBHD22/NXTS228/NXTS22LB)
White Lauan Interior (PR248/LB24/LBHD24/NXTS248/NXTS24LB)
White Lauan Interior (LBHD28)

3/8 PLYWOOD WALLS/BROWN LAUAN CEILING OPTIONS

3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR168/LB16)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR208/LB20)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR228/LB22/LBHD22)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR248/LB24/LBHD24)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (LBHD28)

ALUMINUM WHITE SKIN INTERIOR OPTIONS (INCLUDES COVE PANELS)

White Aluminum Skin Interior (147)
White Aluminum Skin Interior (167)
White Aluminum Skin Interior (187)
White Aluminum Skin Interior (207)
White Aluminum Skin Interior (227)
White Aluminum Skin Interior (247)
White Aluminum Skin Interior (168/LB16)
White Aluminum Skin Interior (208/LB20)
White Aluminum Skin Interior (228/LB22/LBHD22)
White Aluminum Skin Interior (248/LB24/LBHD24)
White Aluminum Skin Interior (LBHD28)

INTERIOR BLACK ACCENT OPTIONS (BLACK COVE, NOSE, SPRING PANS)

Black Interior Accents (147 PR & LB Only)
Black Interior Accents (167 PR & LB Only)
Black Interior Accents (187 PR & LB Only)
Black Interior Accents (207 PR & LB Only)
Black Interior Accents (227 PR & LB Only)
Black Interior Accents (247 PR & LB Only)
Black Interior Accents (168 PR & LB Only)
Black Interior Accents (208 PR & LB Only)
Black Interior Accents (228 PR & LB Only)
Black Interior Accents (248 PR & LB Only)
Black Interior Accents (LBHD28 PR & LB Only)

COMBO WALL OPTIONS (COST IS PER ROW OF COMBO WALL)

Combo Wall: 1 Row, 14' (V-Nose Included)
Combo Wall: 1 Row, 16' (V-Nose Included)
Combo Wall: 1 Row, 18' (V-Nose Included)
Combo Wall: 1 Row, 20' (V-Nose Included)
Combo Wall: 1 Row, 22' (V-Nose Included)
Combo Wall: 1 Row, 24' (V-Nose Included)
Combo Wall: 1 Row, 28' (V-Nose Included)

INSULATED WALLS & CEILING OPTIONS (MUST BE ORDERED WITH INTERIOR WALLS & CEILING)

Insulated Walls & Ceiling, 14'
Insulated Walls & Ceiling, 16'
Insulated Walls & Ceiling, 18'
Insulated Walls & Ceiling, 20'
Insulated Walls & Ceiling, 22'
Insulated Walls & Ceiling, 24'
Insulated Walls & Ceiling, 28'

INSULATED FLOOR OPTIONS

Insulated Floor, 14'
Insulated Floor, 16'
Insulated Floor, 18'
Insulated Floor, 20'
Insulated Floor, 22'
Insulated Floor, 24'
Insulated Floor, 28'

DIAMOND PLATE KICK PANEL OPTIONS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate Kick Panel, 14'
Diamond Plate Kick Panel, 16'
Diamond Plate Kick Panel, 18'
Diamond Plate Kick Panel, 20'
Diamond Plate Kick Panel, 22'
Diamond Plate Kick Panel, 24'
Diamond Plate 8" Kick Panel, LB 16'
Diamond Plate 8" Kick Panel, LB 20'
Diamond Plate 8" Kick Panel, LB 22' / LBHD22'
Diamond Plate 8" Kick Panel, LB 24' / LBHD24'
Diamond Plate 8" Kick Panel, LB 28' / LBHD28'

DIAMOND PLATE ON WALL OPTIONS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate on Walls (24" High), 14'
Diamond Plate on Walls (24" High), 16'
Diamond Plate on Walls (24" High), 18'
Diamond Plate on Walls (24" High), 20'
Diamond Plate on Walls (24" High), 22'
Diamond Plate on Walls (24" High), 24'
Diamond Plate on Walls (24" High), 28'

QUICKSLIDE ON WALL OPTIONS

Quickslide on Walls Above Kick Panel, 14'
Quickslide on Walls Above Kick Panel, 16'
Quickslide on Walls Above Kick Panel, 18'
Quickslide on Walls Above Kick Panel, 20'
Quickslide on Walls Above Kick Panel, 22'
Quickslide on Walls Above Kick Panel, 24'
Quickslide on Walls Above Kick Panel, 28'
Quickslide on Walls Below Kick Panel, 14'
Quickslide on Walls Below Kick Panel, 16'
Quickslide on Walls Below Kick Panel, 18'
Quickslide on Walls Below Kick Panel, 20'
Quickslide on Walls Below Kick Panel, 22'
Quickslide on Walls Below Kick Panel, 24'
Quickslide on Walls Below Kick Panel, 28'

QUICKSLIDE DOWN MIDDLE OPTIONS (3RD ROW - LB)

Quickslide Down Middle, 16'

Quickslide Down Middle, 20'

Quickslide Down Middle, 22'

Quickslide Down Middle, 24'

Quickslide Down Middle, 28'

ELECTRICAL / LIGHT OPTIONS**POWER SUPPLIES**

12V-15A Basic Converter Package (No Lights; Must Choose Battery Option)

12V-15A Premium Converter Package (No Lights; Must Choose Battery Option)

12V-20A Premium Converter Package (No Lights; Must Choose Battery Option)

12V-30A Premium Converter Package (No Lights; Must Choose Battery Option)

Pass-Thru, 15AMP

Pass-Thru, 20AMP

BATTERY OPTIONS

Battery, Standard (8W)

Battery, Standard (7W)

Battery, Double Box Standard (8W)

Battery, w/V Cabinet Location Standard (8W)

OUTLETS

(1) 110V Decora Wall Outlet

(1) 110V Decora Cove Outlet

Exterior Outlet w/Interior Outlet

INTERIOR LIGHTING 12V

(2) LED Dome Lights; Roof; 920 Lumens Per Light

(12) LED Round Lights; Roof (Must Have Ceiling)

(4) Rectangle LED Lights; Roof; 2100 Lumens Per Light

(2) 16' LED Strip Lights; Roof; 1068 Lumens Per Light

(4 Per Side) LED Round Lights; Cove

(1 Per Side) 16' LED Strip Lights; Cove; 1068 Lumens Per Strip

Cove Pans: Use w/Cove Light Kit & No Interior, 14'

Cove Pans: Use w/Cove Light Kit & No Interior, 16'

Cove Pans: Use w/Cove Light Kit & No Interior, 18'

Cove Pans: Use w/Cove Light Kit & No Interior, 20'

Cove Pans: Use w/Cove Light Kit & No Interior, 22'

Cove Pans: Use w/Cove Light Kit & No Interior, 24'

Cove Pans: Use w/Cove Light Kit & No Interior, 28'

EXTERIOR LIGHTING 12V

(1) 1x3 LED Load Light w/Switch; Centered Above Man Door

(1) 1x3 LED Load Light w/Switch; Centered Above Front Ramp Door

(1) 1x3 LED Load Light w/Switch; Centered Above Rear Ramp Door

(2) 1x3 LED Load Light w/Switch; Corners Above Rear Ramp Door

LED Load Light; Front or Rear Ramp Door Spring Pan Location w/Switch (Must Order Interior)

Exterior Scene Lights w/Switch (2 Lights on CS; 2500 Lumens Per Light)

Exterior Scene Lights w/Switch (2 Lights on CS; 1400 Lumens Per Light)

Rear Back Up Light (Includes 2 Lights; 1400 Lumens Per Light)

Clear Exterior Lights w/Rear Load (500 Lumens Per Light)

Backup Light w/LED Upgrade (XT Series)

Backup Light w/LED Upgrade (Prestige, LB, LBHD)

LIGHTING SWITCHES / CIRCUITS

(1) 3-Way Circuit 12V

(2) 3-Way Circuit 12V

(3) 3-Way Circuit 12V

(1) 2-Way Switched Light Circuit (12V)

(2) 2-Way Switched Light Circuits (12V)

(3) 2-Way Switched Light Circuits (12V)

Auto-On Door Switch (12V; Cannot be Combined w/3-Way Circuit)

Single Switch Wired to Aux Light as Load Light

POWER ACCESSORIES

30 Amp Power Cord, 25'

Battery Charger / Tender Kit (Not Available w/11383 or 11384)

Charging Center Kit (Placed In Premium Converter or Inside Nose)

Solar Charger (Battery Trickle Charger)

HVAC

Prep for A/C Unit (7W; Extra Roof Bows & Run Power Wire)
Prep for A/C Unit (8W; Extra Roof Bows & Run Power Wire)
AC Roof 13.5K BTU (7W; Includes 10464; Must Order w/11384-20 or 11384-30)
AC Roof 13.5K BTU (8W; Includes 10441; Must Order w/11384-20 or 11384-30)
LP Furnace 35K BTU; White (Requires 11383-15 Converter or Higher & Quad Floor)
LP Furnace 35K BTU; Black (Requires 11383-15 Converter or Higher & Quad Floor)
Floor Drain

VENTS

Roof Vent - Field Install
Roof Vent - Factory Install
Roof Vent w/Fan - Factory Install
Roof Vent w/Fan (Fantastic Fan) - Factory Install
Side Vents (Pair) - Factory Install
Roof Vent Cover

ANODIZED SKIRT

12" High Anodized Skirt, 14'
12" High Anodized Skirt, 16'
12" High Anodized Skirt, 18'
12" High Anodized Skirt, 20'
12" High Anodized Skirt, 22'
12" High Anodized Skirt, 24'
12" High Anodized Skirt, 28'
16" High Anodized Skirt, 14'
16" High Anodized Skirt, 16'
16" High Anodized Skirt, 18'
16" High Anodized Skirt, 20'
16" High Anodized Skirt, 22'
16" High Anodized Skirt, 24'
16" High Anodized Skirt, 28'

EXTERIOR OPTIONS

Stabilizer Scissor Jack (Pair w/Handle)
(2) Rear Frame Rollers (Standard on LB & LBHD)
Roof Rack Kit (Sold Individually)
Electric Tongue Jack Option (12V Auxiliary Battery Recommended)
Upgrade to Flat Pad Jack

MULTI-COLOR EXTERIOR SKIN

Multi-Color (6' High)
Multi-Color (6'6" High)
Multi-Color (7' High)
Multi-Color (7'6" High)
Multi-Color (6'6" High; Lowboy)
Multi-Color, 7' High; Lowboy)
Multi-Color (7'6" High; Lowboy)

UPGRADED EXTERIOR SKIN

3' High Diamond Plate Stone Guard
4' High Diamond Plate Stone Guard
Diamond Plate to Top of V-Nose
.040 Exterior Skin, 14'
.040 Exterior Skin, 16'
.040 Exterior Skin, 18'
.040 Exterior Skin, 20'
.040 Exterior Skin, 22'
.040 Exterior Skin, 24'
.040 Exterior Skin, V-Front Only
.050 Exterior Skin, 14'
.050 Exterior Skin, 16'
.050 Exterior Skin, 18'
.050 Exterior Skin, 20'
.050 Exterior Skin, 22'
.050 Exterior Skin, 24'
.050 Exterior Skin, V-Front Only
.078 PolyCOR Exterior Skin, 10'
.078 PolyCOR Exterior Skin, 12'
.078 PolyCOR Exterior Skin, 14'
.078 PolyCOR Exterior Skin, 16'
.078 PolyCOR Exterior Skin, 18'
.078 PolyCOR Exterior Skin, 20'
.078 PolyCOR Exterior Skin, 24'

Note: PolyCOR available in White, Black & Charcoal; Call for .040 and .050 Color Availability

SIDE AWNING (STANDARD COLOR: ONYX)

16' Side Awning
18' Side Awning
20' Side Awning
Upgrade Awning Color: Black & White Checkered Flag

RACKS / CABINETS / SHELVES

Cabinet x32" - White

Cabinet x48" - White

Cabinet x48" - Black

Clothes Hanger Kit for 32" or 48" Helmet Cabinet

Wheel Well Cabinet, LB (White)

Wheel Well Cabinet, LB (Black)

Helmet Cabinet, 14"D x 49.5"W x 16" Framed (Black)

Base Cabinet, 16"D x 55"W x 36" Framed (Black)

Paper Towel Rack

Two-Shelf Oil Rack

Three-Shelf Combo Rack

Work Bench Shelf (41" Off Floor)

Folding Seat (17-1/4" Off Floor to Top of Seat; Cannot Put in Beavertail Location)

Jack-Knife Couch (Must Order Quickslide on Walls if Factory Installed; Cannot Put in Beavertail Location)

Workstation / Cabinet

Trimmer Rack Kit

Fuel Jug Rack Kit

Coat Rack

SPARE TIRE RACKS / CLOSET

Spare Tire Carrier (Diamond Plate)

Spare Tire Carrier (Hoop Style)

Tire Closet (7' Wide)

Tire Closet (8' Wide)

Tire Closet LB (Not Available on LB16)

Tire Closet Hinge Kit (Not Available on 7' Wide)

SPARE TIRES & UPGRADES

Tire Upgrade, #06193 14" Aluminum Rim (8' Wide; Tandem Axle)

Tire & Wheel, ST205/75R14 Alum OR TML

Tire & Wheel, ST205/75 R-14C Silver

Tire & Wheel, ST205/75R-15C Alum OR TML

Tire & Wheel, ST205/75 R15C Silver

Tire & Wheel, ST22575R15E Silver

Tire & Wheel, ST22575R15E Alum OR TML

Tire & Wheel, ST205/75 R-14C White (7' Wide)

Tire & Wheel, 175/R13D Alum (8' Wide) OR TML

Tire & Wheel, 175/R-13D White (8' Wide)

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST22575R15E White

TIE-DOWN KITS

Tie-Down Flush Mount Kit (Pair)

HD Tie-Downs (Each)

Quickslide Tie-Down Kit, Eyebolt (2 Pieces)

Quickslide Tie-Down Kit, Flush (2 Pieces)

Tie-Down Kit (4 Pieces)

Combo Companion Kit (8 Pieces)

Combo Quick Release Tie-Down Kit (4 Pieces)

Tie-Down Bar Stool Kit (2 Pair)

IN-FLOOR QUICKSLIDE NXT & VAULT MODELS

Quickslide in Floor, (2) Rows, 10'

Quickslide in Floor, (2) Rows, 12'

Quickslide in Floor, (2) Rows, 14'

Quickslide in Floor, (2) Rows, 16'

Quickslide in Floor, (2) Rows, 18'

Quickslide in Floor, (2) Rows, 20'

Quickslide in Floor, (2) Rows, 24'

Quickslide Tie-Down Kit, Eyebolt (2 Pieces)

Quickslide Tie Down Kit, Flush Mount (2 Pieces)

Quickslide Tie Down Kit, D-Ring 5/16" (2 Pieces)

Quickslide Tie Down Kit, D-Ring 3/8" (2 Pieces)

MOTORCYCLE ACCESSORIES

Quickslide Motorcycle Wheel Chock Kit (Requires Quickslide in Floor); Includes: (1) #03666 18" MCT Chock, (2) #08843 1/2-13 x 1 BHSCS Z/Y, (2) #07728 Keeper Block

Flush Mount Wheel Chock Option

CONTRACTOR ACCESSORIES

Heavy Duty Roof Mounted Ladder Rack (Each); NXT Version

Roof Rack Kit (Each); Vault Version

V-Nose Mounted Ladder

10' Catwalk w/3 Roof Racks & Ladder (NXT Only)

12' Catwalk w/3 Roof Racks & Ladder (NXT Only)

14' Catwalk w/4 Roof Racks & Ladder (NXT Only)

16' Catwalk w/4 Roof Racks & Ladder (NXT Only)

18' Catwalk w/5 Roof Racks & Ladder (NXT Only)

20' Catwalk w/6 Roof Racks & Ladder (NXT Only)

Upgrade to Roller on Rear Ladder Rack (NXT Only)

Swing Door-Mounted Rear Stowable Ramps; Kit Includes Extra Hinges for Swing Doors, (2) 26" x 72" Ramps, & Ramp Lock Tray

JACKS & JACK ACCESSORIES

Stabilizer Jacks (Pair)

AH Premium Bogey Wheels (Pair)

Scissor Jacks (Camper Style, Pair)

Upgrade to 8000# Pedestal Jack

ROCKY MOUNTAIN EDITION PACKAGE

Rocky Mountain Edition Features: Quad Ply Decking Box; Front Ramp & Rear Ramp; Quad-Ply Kick Plate; White Lauan Interior; Insulated Walls & Ceiling; Combo Wall w/(2) Upper Rows & (1) Lower Row (Includes V-Nose); Additional Side Access Door; 48" Furnace Box; 40,000 BTU Furnace; Safety Kit; HD Propane Tank Mount; 40# Propane Tank; 36" Heat Duct; (2) 48" Deluxe Overhead Cabinets (09257 White or Black); 60A Breaker Panel w/Converter (Housed in Furnace Box); 30A Motor Base Plug; (2) 3-Way Switches; GFCI Wall Receptacle; Standard Wall Receptacle; (2) USB Wall Receptacles; Marine Grade Battery & Box; (12) LED Puck Lights; (4) Sets of Wall Coat Hangers; (2) Sets of Ceiling Mounted Hangers; Spare Tire Carrier; (2) Fold-Out Bench Seats; & Custom RME Decals

ROCKY MOUNTAIN EDITION

RME-16' PR, LB, & NXT LB (No Additional Door, (1) OH Cabinet, (1) Bench Seat)

RME-18' PR, LB, & NXT LB (No Additional Door, (1) OH Cabinet, (1) Bench Seat)

RME-20' PR, LB, & NXT LB

RME-22' PR, LB, & NXT LB

RME-24' PR, LB, & NXT LB

RME-28' PR, LB, & NXT LB

ROCKY MOUNTAIN EDITION ADD-ONS

Ducted Wall Mounted Boot / Glove Dryer Tree (8 Slots)

ARCTIC ADVENTURE HEATER PACKAGE

Arctic Adventure Package Features: White Lauan Interior; Insulated Walls and Ceiling; 48" Furnace Box; 40,000 BTU Furnace; Safety Kit; HD Propane Tank Mount; 40# Propane Tank; 36" Heat Duct; Deluxe Overhead Cabinet (09257 White or Black); 15A Motor Base Plug; 12V Converter; (3) Sets of Wall Mounted Coat Hangers

ARCTIC ADVENTURE HEATER

AAHP-14' PR

AAHP-16' PR, LB, & NXT LB

AAHP-18' PR, LB, & NXT LB

AAHP-20' PR, LB, & NXT LB

AAHP-22' PR, LB, & NXT LB

AAHP-24' PR, LB, & NXT LB

AAHP-28' PR, LB, & NXT LB

ADDITIONAL LIGHT OPTIONS

DESCRIPTION

Light, 2 1/2" Round Amber Clearance

Light, 2 1/2" Round Red Clearance

Grommet, 2 1/2" Round

Bracket, License Plate Light Kit

Tail Light, Oval

Bracket, License Plate (Plastic)

Light, 2" Round Red Clearance

Grommet, 2" Round

Lens, Side and Tail - LXT/XTV

Reflector, Amber

Light, 2" Round Amber Clearance

Grommet, Rectangle Clearance Light

Light, Rectangle License Plate, Clear

Reflector, Red

Grommet, Oval Tail

Light, Rectangle Clearance, Red

Light, Rectangle Clearance, Amber

Tail Light, RH (LXT/XTV/DOP)

Tail Light, LH (LXT/XTV/DOP)

Reflector, Amber - AUT

Light, ID Bar

Light, 2 1/2" Round Red Clearance - WCII

Grommet, 2 1/2" Closed Black

Amber Clearance Light - WAVE (2015)

Red Clearance Light - WAVE (2015)

DESCRIPTION

Light, Rect. Clearance Red - Enc.

Light, Rect. Clearance Amber - Enc.

Bracket, W/180 Bullet - (07846/07847)

LED Light, 2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Amber

LED Light, Oval Tail Light

Light, Clearance Amber STICKON - LXT

Lens, Amber LXT

LED Light, Clearance - 4" Rec. Red - Enc.

LED Light, Clearance - 4" Rec. Amber - Enc.

LED Light, Clearance - 2 1/2" Rec. Red - Enc.

LED Light, Clearance - 2 1/2" Red - Super 10

LED Light, Clearance - 2" Round, Amber

LED Light, Clearance Rect., Amber

Light, Halogen

Light, Fender Clearance Combo

LED Light, License Plate

LED Light, Round White Flush Mount

LED Tail Light, Bar w/Reflex

LED Marker Light, Bullet Red W/Grom

LED Marker Light, Bullet Amber W/Grom

Tail Light Bar LED - Vault/Enc.

LED, CID Bar

Tail Light Oval LED - WAVE

ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS