ENCLOSED CARGO/ SNOW TC SERIES 5'X12' - 8.5'X14' WIDE 3.0





5'x12' WIDE

STANDARD FEATURES

- > Integrated Frame Design
- > 4" A-Frame Tongue (Crossovers/Hybrids, 2" Economy A-Frame Coupler)
- > Torsion Axle

- > Full Quickslide
- > Rear Ramp Door w/ Spring Assist & Starter Flap
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting

- > 5/8" Water Resistant Decking
- > 12" Water Resistant Kickplate
- > .030 Screwless Skin, Bonded on Seams
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 5x12 SILVER MODS | 5x12 ALUMINUM |
|--------------------------|------------------|---------------|
| Model Number | TC125-S | TC125-A |
| Subframe | 2"x3" | 2"x3" |
| Floor Crossmembers | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" 0/C |
| Box (WxL) | 60"x12' | 60"x12' |
| Interior Height | 64" | 64" |
| Rear Door Opening (WxH) | 52"x61-1/2" | 52"x61-1/2" |
| Front Access Door (WxH) | 48"x48" | 48"x48" |
| Axle(s) - Qty/Rating | 1-2200# ldler | 1-2200# ldler |
| GVWR | 2200# | 2200# |
| Wheels | 13" Silver Mods | 13" Aluminum |
| Tires | 175/80R13 | 175/80R13 |
| Side Door | 28"x58" | 28"x58" |
| Coupler Rating/Ball Size | Class II / 2" | Class II / 2" |
| Jack | Tongue Jack | Tongue Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

| OPTIONS & ACCESSORIES | | |
|--|--|--|
| AXLE OPTIONS | | |
| TCLR Axle Reinforcement (Low Rider Only) | | |
| VENT & WINDOW OPTIONS | | |
| Roof Vent | | |
| Side Vents | | |
| DOORS, RAMPS & COMPARTMENTS | | |
| Fuel Door | | |
| Radius Side Door - 63" | | |
| TIRE/WHEEL ASSEMBLIES & ACCESSORIES | | |
| Spare Tire Carrier (Installed Rear) | | |
| Center Wheel Well Kit (Low Rider Only) | | |

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC118/128 Only)

Rear Spoiler w/ LED Load Lights TC5W









Metallic Pewter



5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8'x11' WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- > 4" A-Frame Tongue (Crossovers/Hybrids, 2" Economy A-Frame Coupler)
- > Torsion Axle

- > Full Quickslide
- > Rear Ramp Door w/ Spring Assist & Starter Flap
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting

- > 5/8" Water Resistant Decking
- > 12" Water Resistant Kickplate
- > .030 Screwless Skin, Bonded on Seam
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8x11 GUNMETAL | 8x11 SILVER MODS | 8x11 ALUMINUM |
|--------------------------|----------------|------------------|---------------|
| Model Number | TC118-G | TC118-S | TC118-A |
| Subframe | 2"x4" | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" O/C | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C | 16" O/C |
| Box WxL | 102"x11' | 102"x11' | 102"x11' |
| Interior Height | 64" | 64" | 64" |
| Rear Door Opening WxH | 94"x61-1/2" | 94"x61-1/2" | 94"x61-1/2" |
| Front Access Door WxH | 48"x48" | 48"x48" | 48"x48" |
| Axle(s) - Qty/Rating | 1-3500# Idler | 1-3500# Idler | 1-3500# ldler |
| GVWR | 2990# | 2990# | 2990# |
| Wheels | 10" Gunmetal | 12" Silver Mods | 12" Aluminum |
| Tires | 20.5X10E | ST145/R12E | ST145/R12E |
| Side Door | Optional | Optional | Optional |
| Coupler Rating/Ball Size | Class III / 2" | / 2" | / 2" |
| Jack | Tongue Jack | Tongue Jack | Tongue Jack |
| Safety Chains | (2) 5000# | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD |

OPTIONS & ACCESSORIES

| DOORS. RAMPS & COMPARTMENTS |
|----------------------------------|
| Fuel Door |
| Radius Side Door - 63" |
| Square Side Door - 62.5" (TC118) |
| Radius Side Door - 63" (TC118) |
| VENT & WINDOW OPTIONS |
| Roof Vent |
| Side Vents |

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC118/128 Only)

Rear Spoiler w/ LED Load Lights TC8W

COLOR OPTIONS







White







5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8'x12' WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- > 4" A-Frame Tongue (Crossovers/Hybrids, 2" Economy A-Frame Coupler)
- > Torsion Axle

- > Full Quickslide
- > Rear Ramp Door w/ Spring Assist & Starter Flap
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting

- > 5/8" Water Resistant Decking
- > 12" Water Resistant Kickplate
- > .030 Screwless Skin, Bonded on Seams
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8x12 GUNMETAL | 8x12 SILVER MODS | 8x12 ALUMINUM |
|--------------------------|----------------|------------------|----------------|
| Model Number | TC128-G | TC128-S | TC128-A |
| Subframe | 2"x4" | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" O/C | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C | 16" O/C |
| Box (WxL) | 102"x12' | 102"x12' | 102"x12' |
| Interior Height | 64" | 64" | 64" |
| Rear Door Opening (WxH) | 94"x61-1/2" | 94"x61-1/2" | 94"x61-1/2" |
| Front Access Door (WxH) | 48"x48" | 48"x48" | 48"x48" |
| Axle(s) - Qty/Rating | 1-3500# Idler | 1-3500# Idler | 1-3500# ldler |
| GVWR | 2990# | 2990# | 2990# |
| Wheels | 10" Gunmetal | 12" Silver Mods | 12" Aluminum |
| Tires | 20.5X10E | ST145/R12E | ST145/R12E |
| Side Door | 30"x62.5" | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" | Class III / 2" |
| Jack | Tongue Jack | Tongue Jack | Tongue Jack |
| Safety Chains | (2) 5000 # | (2) 5000 # | (2) 5000 # |
| Curb Weight | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD |

OPTIONS & ACCESSORIES

| DOORS. RAMPS & COMPARTMENTS |
|----------------------------------|
| Fuel Door |
| Radius Side Door - 63" |
| Square Side Door - 62.5" (TC118) |
| Radius Side Door - 63" (TC118) |
| ROOF & WINDOW OPTIONS |
| Roof Vent |
| Side Vents |

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC118/128 Only)

Rear Spoiler w/ LED Load Lights TC8W









Charcoal Grey Metallic Pewter



CARGO/SNOW TC SERIES 5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8'x13' WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- > 4" A-Frame Tongue (Crossovers/Hybrids, 2" Economy A-Frame Coupler)
- > Torsion Axle

- > Full Quickslide
- > Rear Ramp Door w/ Spring Assist & Starter Flap
- > (1) Interior Dome Light w/ Switch
- > Exterior LED Lighting

- > 5/8" Water Resistant Decking
- > 12" Water Resistant Kickplate
- > .030 Screwless Skin, Bonded on Seams
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8x13 GUNMETAL | 8x13 SILVER MODS | 8x13 ALUMINUM |
|--------------------------|----------------|------------------|----------------|
| Model Number | TC138-G | TC138-S | TC138-A |
| Subframe | 2"x4" | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" O/C | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C | 16" O/C |
| Box (WxL) | 102"x13' | 102"x13' | 102"x13' |
| Interior Height | 64" | 64" | 64" |
| Rear Door Opening (WxH) | 94"x61-1/2" | 94"x61-1/2" | 94"x61-1/2" |
| Front Access Door (WxH) | 48"x48" | 48"x48" | 48"x48" |
| Axle(s) - Qty/Rating | 1-3500# Idler | 1-3500# Idler | 1-3500# Idler |
| GVWR | 2990# | 2990# | 2990# |
| Wheels | 10" Gunmetal | 12" Silver Mods | 12" Aluminum |
| Tires | 20.5X10E | ST145/R12E | ST145/R12E |
| Side Door | 30"x62.5" | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" | Class III / 2" |
| Jack | Tongue Jack | Tongue Jack | Tongue Jack |
| Safety Chains | (2) 5000# | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD |

OPTIONS & ACCESSORIES

| DOORS, RAMPS & COMPARTMENTS | TIRE/WHEEL ASSEMBLIES & |
|----------------------------------|----------------------------------|
| Fuel Door | Spare Tire Carrier (Installed Ro |
| Radius Side Door - 63" | INTERIOR OPTIONS |
| Square Side Door - 62.5" (TC118) | Upgrade to Premium Marine G |
| Radius Side Door - 63" (TC118) | MISC. OPTIONS, ACCESSORI |
| VENT & WINDOW OPTIONS | Stabilizer Jack (TC118/128 O |
| Roof Vent | Rear Spoiler w/ LED Load Ligh |
| Side Vents | |

& ACCESSORIES

Rear)

Grade Plywood Flooring

IES

Only)

hts TC8W









Charcoal Grey

Metallic Pewter



CARGO/SNOW TC SERIES 5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8'x11' LR WIDE

STANDARD FEATURES

> 5-Year Limited Warranty

| TRAILER MODEL | 8x13 GUNMETAL | 8x13 SILVER MODS |
|--------------------------|----------------|------------------|
| Model Number | TC138-G | TC138-S |
| Subframe | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C |
| Box (WxL) | 102"x13' | 102"x13' |
| Interior Height | 64" | 64" |
| Rear Door Opening (WxH) | 94"x61-1/2" | 94"x61-1/2" |
| Front Access Door (WxH) | 48"x48" | 48"x48" |
| Axle(s) - Qty/Rating | 1-3500# ldler | 1-3500# ldler |
| GVWR | 2990# | 2990# |
| Wheels | 10" Gunmetal | 12" Silver Mods |
| Tires | 20.5X10E | ST145/R12E |
| Side Door | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" |
| Jack | Tongue Jack | Tongue Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

| DOORS, RAMPS & COMPARTMENTS | |
|--|--|
| Fuel Door | |
| Square Side Door - 62.5" (TC118) | |
| Radius Side Door - 63" (TC118) | |
| AXLE OPTIONS | |
| Electric Drum Brakes One Axle | |
| TCLR Axle Reinforcement (Low Rider Only) | |
| VENT & WINDOW OPTIONS | |
| Roof Vent | |
| Side Vents | |

COLOR OPTIONS









TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

Center Wheel Well Kit (Low Rider Only)

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring (LR)

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (Low Rider Only)

Rear Spoiler w/ LED Load Lights TC8W



CARGO/SNOW TC SERIES 5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8'x12' LR WIDE

STANDARD FEATURES

> 5-Year Limited Warranty

| TRAILER MODEL | 8x12 LR SILVER MODS | 8x12 LR ALUMINUM |
|--------------------------|---------------------|------------------|
| Model Number | TCLR128-S | TCLR128-A |
| Subframe | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C |
| Box (WxL) | 102"x13' | 102"x13' |
| Interior Height | 64" | 64" |
| Rear Door Opening (WxH) | 94"x61-1/2" | 94"x61-1/2" |
| Front Access Door (WxH) | 48"x48" | 48"x48" |
| Axle(s) - Qty/Rating | 1-3500# Idler | 1-3500# ldler |
| GVWR | 2990# | 2990# |
| Wheels | 12" Silver Mods | 12" Aluminum |
| Tires | ST145/R12E | ST145/R12E |
| Side Door | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" |
| Jack | Tongue Jack | Tongue Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

| DOORS, RAMPS & COMPARTMENTS | |
|--|--|
| Fuel Door | |
| Square Side Door - 62.5" (TC118) | |
| Radius Side Door - 63" (TC118) | |
| AXLE OPTIONS | |
| Electric Drum Brakes One Axle | |
| TCLR Axle Reinforcement (Low Rider Only) | |
| VENT & WINDOW OPTIONS | |
| Roof Vent | |
| Side Vents | |

COLOR OPTIONS









TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

Center Wheel Well Kit (Low Rider Only)

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring (LR)

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (Low Rider Only)

Rear Spoiler w/ LED Load Lights TC8W



5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

7.4'x16' WIDE

STANDARD FEATURES

- > Integrated Frame Design
- > 4" A-Frame Tongue (Crossovers/Hybrids,
 - 2" Economy A-Frame Coupler)
- > Torsion Braked Axle
- > Full Quickslide
- > Rear Ramp Door w/ Spring Assist
- > Louver Vents
- > Wall Switch

- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 12" Plywood Kickplate
- > .030 Screwless Skin, Bonded on Seams

> 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 7.4x16 SILVER MODS | 7.4x16 ALUMINUM | 7.4x16 (2) SILVER MODS | 7.4x16 (2) ALUMINUM |
|--------------------------|--------------------|------------------|------------------------|---------------------|
| Model Number | TC1674-S | TC1674-A | TC1674-2-S | TC1674-2-A |
| Subframe | 2"x4" | 2"x4" | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" 0/C | 24" O/C | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C | 16" O/C | 16" O/C |
| Box (WxL) | 88"x16' | 88"x16' | 88"x16' | 88"x16' |
| Interior Height | 65" | 65" | 65" | 65" |
| Rear Door Opening (WxH) | 82"x62-1/2" | 82"x62-1/2" | 82"x62-1/2" | 82"x62-1/2" |
| Axle(s) - Qty/Rating | 1-3500# Braked | 1-3500# Braked | 2-3500# Braked | 2-3500# Braked |
| GVWR | 3550# | 3550# | 7000# | 7000# |
| Wheels | 14" Silver Mod | 14" Aluminum | 14" Silver Mod | 14" Aluminum |
| Tires | ST205/75R14C | ST205/75R14C | ST205/75R14C | ST205/75R14C |
| Side Door | 30"x62.5" | 30"x62.5" | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" | Class III / 2" | Class III / 2" |
| Jack | 1200# Wheel Jack | 1200# Wheel Jack | 1200# Wheel Jack | 1200# Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD | TBD | TBD |
| Payload | TBD | TBD | TBD | TBD |

OPTIONS & ACCESSORIES

DOORS, RAMPS & COMPARTMENTS

Fuel Door

Radius Side Door - 63"

AXLE OPTIONS

Electric Drum Brakes One Axle

VENT & WINDOW OPTIONS

Roof Vent

Side Vents

ELECTRICAL OPTIONS

3-Way Switch Option

SPECIAL PACKAGES

20" Additional Height (81" Rear Opening), Drivers Side Escape Door & 72" Side Door (Brakes Recommended)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

Spare Tire Carrier (Installed Front)

INTERIOR OPTIONS

White Lauan Walls

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W

SPECIAL PACKAGES

20" Additional Height (81" Rear Opening), Drivers Side Escape Door & 72" Side Door - 22' Model









Charcoal Grev

Metallic Pewter



5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

7.4'x22' WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- $\,>\,$ 4" A-Frame Tongue (Crossovers/Hybrids,
 - 2" Economy A-Frame Coupler)
- > Torsion Axle

- > Full Length Quickslide
- > Rear Ramp Door w/ Spring Assist
- > Louver Vents
- > Wall Switch

- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 12" Plywood Kickplate
- > .030 Screwless Skin, Bonded on Seams

> 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 7.4x22 (2) SILVER MODS | 7.4x22 (2) ALUMINUM |
|--------------------------|------------------------|---------------------|
| Model Number | TC2274-2-S | TC2274-2-A |
| Subframe | 2"x5" | 2"x5" |
| Floor Crossmembers | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C |
| Box WxL | 88"x22' | 88"x22' |
| Interior Height | 65" | 65" |
| Rear Door Opening WxH | 82"x62-1/2" | 82"x62-1/2" |
| Axle(s) - Qty/Rating | 2-3500# Braked | 2-3500# Braked |
| GVWR | 7000# | 7000# |
| Wheels | 14" Silver Mod | 14" Aluminum |
| Tires | ST205/75R14C | ST205/75R14C |
| Side Door | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" |
| Jack | 1200# Wheel Jack | 1200# Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

DOORS, RAMPS & COMPARTMENTS

Fuel Door

Radius Side Door - 63"

AXLE OPTIONS

Electric Drum Brakes One Axle

VENT & WINDOW OPTIONS

Roof Vent

Side Vents

ELECTRICAL OPTIONS

3-Way Switch Option

SPECIAL PACKAGES

 20° Additional Height (81" Rear Opening), Drivers Side Escape Door & 72" Side Door (Brakes Recommended)

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

Spare Tire Carrier (Installed Front)

INTERIOR OPTIONS

White Lauan Walls

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W

SPECIAL PACKAGES

20" Additional Height (81" Rear Opening), Drivers Side Escape Door & 72" Side Door - 22' Model

COLOR OPTIONS









Charcoal Grev

Metallic Pewter



5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

7.5'x16' WIDE

STANDARD FEATURES

- > All-Aluminum Construction
- $\,>\,$ 4" A-Frame Tongue (Crossovers/Hybrids,
 - 2" Economy A-Frame Coupler)
- > Torsion Axle

- > Full Length Quickslide
- > Rear Ramp Door w/ Spring Assist
- > Louver Vents
- > Wall Switch

- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 12" Plywood Kickplate
- > .030 Screwless Skin, Bonded on Seams

> 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 7.5x16 SILVER MODS | 7.5x16 ALUMINUM |
|--------------------------|--------------------|------------------|
| Model Number | TC1675-2-S | TC1675-2-A |
| Subframe | 2"x4" | 2"x4" |
| Floor Crossmembers | 24" O/C | 24" O/C |
| Wall & Roof Studs | 16" O/C | 16" O/C |
| Box WxL | 90"x16' | 90"x16' |
| Interior Height | 65" | 65" |
| Rear Door Opening WxH | 82"x62-1/2" | 82"x62-1/2" |
| Axle(s) - Qty/Rating | 2-3500# Braked | 2-3500# Braked |
| GVWR | 7000# | 7000# |
| Wheels | 14" Silver Mods | 14" Aluminum |
| Tires | ST205/75R14 | ST205/75R14 |
| Side Door | 30"x62.5" | 30"x62.5" |
| Coupler Rating/Ball Size | Class III / 2" | Class III / 2" |
| Jack | 1200# Wheel Jack | 1200# Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

DOORS, RAMPS & COMPARTMENTS

Fuel Door

Radius Side Door - 63"

AXLE OPTIONS

EBX X 1

EBX X 2

VENT & WINDOW OPTIONS

Roof Vent

Side Vents

SPECIAL PACKAGES

20" Additional Height (81" Rear Opening), Drivers Side Escape Door & 72" Side Door

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

Spare Tire Carrier (Installed Front)

INTERIOR OPTIONS

White Lauan Walls

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W

ELECTRICAL OPTIONS

3-Way Switch Option









Charcoal Grey

Metallic Pewter



5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8.5'x12' WIDE 2.0

STANDARD FEATURES

- > All-AluminStraight Side Construction
- > V-Nose Construction
- > 24" Diamond Plate Stone Guard
- > 4" A-Frame Tongue (2" Economy A-Frame Coupler)
- > Torsion Idler Axle
- > Full Length Quickslide
- > Tapered Rear Ramp Door w/ Spring Assist
- > (2) Side Vents

- > (2) Interior LED Dome Lights w/ Wall Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" x 12" Water Resistant Kickplate
- > Interior Cove Trim

- > .030 Screwless Skin, Bonded on Seams
- > Triton Prestige Exterior Trim
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x12 (2.0) SILVER MODS | 8.5x12 (2.0) ALUMINUM |
|--------------------------|--------------------------|-------------------------|
| Model Number | TC128-2.0-S | TC128-2.0-A |
| Subframe | 2"x4" | 2"x4" |
| Roof Studs | 16" O/C | 16" O/C |
| Wall & Floor Studs | 24" O/C | 24" O/C |
| Box (WxL) | 101"x12' | 101"x12' |
| Interior Height | 64" | 64" |
| Rear Door Opening (WxH) | 93"x62" | 93"x62" |
| V-Nose | 24" | 24" |
| Axle(s) - Qty/Rating | 1-3500# ldler | 1-3500# Idler |
| GVWR | 2990# | 2990# |
| Wheels | 12" E-Rated Silver Mods | 12" E-Rated Aluminum |
| Tires | ST145/R12E | ST145/R12E |
| Side Door | 30"x60.5" | 30"x60.5" |
| Coupler Rating/Ball Size | / 2" | / 2" |
| Jack | 1200# Swivel Wheel Jack | 1200# Swivel Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS |
|--|
| 5'10" Interior Height (6" Additional Height) |
| VENT & WINDOW OPTIONS |
| Roof Vent |
| Side Vents |
| DOORS, RAMPS & COMPARTMENTS |
| Fuel Door |
| Radius Side Door - 63" |

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

MISC. OPTIONS & ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W











5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8.5'x14' WIDE 2.0

STANDARD FEATURES

- > Straight Side Construction
- > V-Nose Construction
- > 24" Diamond Plate Stone Guard
- > 4" A-Frame Tongue (2" Economy A-Frame Coupler)
- > Torsion Idler Axle
- > Full Length Quickslide
- > Tapered Rear Ramp Door w/ Spring Assist
- > (2) Side Vents
- > (2) Interior LED Dome Lights w/ Wall Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" x 12" Water Resistant Kickplate
- > Interior Cove Trim
- > .030 Screwless Skin, Bonded on Seams
- > Triton Prestige Exterior Trim
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x14 (2.0) SILVER MODS | 8.5x14 (2.0) ALUMINUM |
|--------------------------|--------------------------|-------------------------|
| Model Number | TC148-2.0-S | TC148-2.0-A |
| Subframe | 2"x4" | 2"x4" |
| Roof Studs | 16" O/C | 16" O/C |
| Wall & Floor Studs | 24" O/C | 24" O/C |
| Box (WxL) | 101"x14' | 101"x14' |
| Interior Height | 64" | 64" |
| Rear Door Opening (WxH) | 93"x62" | 93"x62" |
| V-Nose | 24" | 24" |
| Axle(s) - Qty/Rating | 1-3500# ldler | 1-3500# Idler |
| GVWR | 2990# | 2990# |
| Wheels | 12" E-Rated Silver Mods | 12" E-Rated Aluminum |
| Tires | ST145/R12E | ST145/R12E |
| Side Door | 30"x60.5" | 30"x60.5" |
| Coupler Rating/Ball Size | / 2" | / 2" |
| Jack | 1200# Swivel Wheel Jack | 1200# Swivel Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS | |
|--|--|
| 5'10" Interior Height (6" Additional Height) | |
| VENT & WINDOW OPTIONS | |
| Roof Vent | |
| Side Vents | |
| DOORS, RAMPS & COMPARTMENTS | |
| Fuel Door | |
| Radius Side Door - 63" | |

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

MISC. OPTIONS & ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W











5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8.5'x12' WIDE 3.0

STANDARD FEATURES

- > Straight Side Construction
- > V-Nose Construction
- > 24" Diamond Plate Stone Guard
- > 4" A-Frame Tongue (2" Economy A-Frame Coupler)
- > Torsion Idler Axle
- > Full Length Quickslide
- > Tapered Rear Ramp Door w/ Spring Assist
- > (2) Side Vents
- > (2) Interior LED Dome Lights w/ Wall Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" x 12" Water Resistant Kickplate
- > Interior Cove Trim
- > .030 Screwless Skin, Bonded on Seams
- > Triton Prestige Exterior Trim
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x12 (3.0) SILVER MODS | 8.5x12 (3.0) ALUMINUM |
|--------------------------|--------------------------|-------------------------|
| Model Number | TC128-3.0-S | TC128-3.0-A |
| Subframe | 2"x4" | 2"x4" |
| Roof Studs | 16" O/C | 16" O/C |
| Wall & Floor Studs | 24" O/C | 24" O/C |
| Box (WxL) | 101"x12' | 101"x12' |
| Interior Height | 70" | 70" |
| Rear Door Opening (WxH) | 93"x69" | 93"x69" |
| V-Nose | 36" | 36" |
| Axle(s) - Qty/Rating | 1-3500# Idler | 1-3500# Idler |
| GVWR | 2990# | 2990# |
| Wheels | 12" E-Rated Silver Mods | 12" E-Rated Aluminum |
| Tires | ST145/R12E | ST145/R12E |
| Side Door | 30"x60.5" | 30"x60.5" |
| Coupler Rating/Ball Size | / 2" | / 2" |
| Jack | 1200# Swivel Wheel Jack | 1200# Swivel Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

| CONSTRUCTION OPTIONS |
|--|
| 5'10" Interior Height (6" Additional Height) |
| VENT & WINDOW OPTIONS |
| Roof Vent |
| Side Vents |
| DOORS, RAMPS & COMPARTMENTS |
| Fuel Door |
| Radius Side Door - 63" |

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

TIRE/WHEEL ASSEMBLIES & ACCESSORIES

Spare Tire Carrier (Installed Rear)

MISC. OPTIONS & ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W











5'x12' - 8.5'x14' WIDE 3.0 CONTINUED

8.5'x12' WIDE 3.0

STANDARD FEATURES

- > Straight Side Construction
- > V-Nose Construction
- > 24" Diamond Plate Stone Guard
- > 4" A-Frame Tongue (2" Economy A-Frame Coupler)
- > Torsion Idler Axle
- > Full Length Quickslide
- > Tapered Rear Ramp Door w/ Spring Assist
- > (2) Side Vents
- > (2) Interior LED Dome Lights w/ Wall Switch
- > Exterior LED Lighting
- > 5/8" Water Resistant Decking
- > 3/8" x 12" Water Resistant Kickplate
- > Interior Cove Trim
- > .030 Screwless Skin, Bonded on
- > Triton Prestige Exterior Trim
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

| TRAILER MODEL | 8.5x14 (3.0) SILVER MODS | 8.5x14 (3.0) ALUMINUM |
|--------------------------|--------------------------|-------------------------|
| Model Number | TC148-3.0-S | TC148-3.0-A |
| Subframe | 2"x4" | 2"x4" |
| Roof Studs | 16" O/C | 16" O/C |
| Wall & Floor Studs | 24" O/C | 24" O/C |
| Box (WxL) | 101"x14' | 101"x14' |
| Interior Height | 70" | 70" |
| Rear Door Opening (WxH) | 93"x69" | 93"x69" |
| V-Nose | 36" | 36" |
| Axle(s) - Qty/Rating | 1-3500# ldler | 1-3500# ldler |
| GVWR | 2990# | 2990# |
| Wheels | 12" E-Rated Silver Mods | 12" E-Rated Aluminum |
| Tires | ST145/R12E | ST145/R12E |
| Side Door | 30"x60.5" | 30"x60.5" |
| Coupler Rating/Ball Size | / 2" | / 2" |
| Jack | 1200# Swivel Wheel Jack | 1200# Swivel Wheel Jack |
| Safety Chains | (2) 5000# | (2) 5000# |
| Curb Weight | TBD | TBD |
| Payload | TBD | TBD |

OPTIONS & ACCESSORIES

CONSTRUCTION OPTIONS

5'10" Interior Height (6" Additional Height)

7'0" Interior Height (18" Additional Height) TC SxS Package

AXLE OPTIONS

Electric Drum Brakes One Axle

DOORS, RAMPS & COMPARTMENTS

Fuel Door

Radius Side Door - 63"

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

VENT & WINDOW OPTIONS

Roof Vent

Side Vents

INTERIOR OPTIONS

Upgrade to Premium Marine Grade Plywood Flooring

MISC. OPTIONS, ACCESSORIES

Stabilizer Jack (TC167)

Rear Spoiler w/ LED Load Lights TC8W















ENCLOSED OPTIONS

SIDE DOORS & STEPS OPTIONS

Window in Side Access Door

Screen Door in Side Access Door

Keyless Entry For Side Access Door

Spring Door Chain Kit

Step Kit - Factory Installed

Fold-Out Step Kit

32" Wide Fold Out Step Kit

Lighted Grab Handle w/Switch

Additional Locking Bar for Side Door

Side Door Custom Color Charge (Per Door; other than Black/White/Pewter/Gray)

Move Standard Lowboy (LB) Door to Beavertail Position (6'6", 7', 7'6")

Additional LB Side Door (6'6")

Additional LB Side Door (7')

Additional LB Side Door (7'6")

Additional LB Side Door, Beavertail Position (6'6")

Additional LB Side Door, Beavertail Position (7')

Additional LB Side Door, Beavertail Position (7'6")

Side Door Lock

CONSTRUCTION OPTIONS

12" Extended Tongue (Includes Third Tongue Member; NXT Models)

Rear Spoiler w/LED Load Lights (7' Wide NXT Models)

Rear Spoiler w/LED Load Lights (7'6" Wide NXT Models)

Rear Spoiler w/LED Load Lights (8'6" Wide NXT Models)

Rear Spoiler w/LED Load Lights (7' Wide Vault Models)

Rear Spoiler w/LED Load Lights (7'6" Wide Vault Models)

Rear Spoiler w/LED Load Lights (8'6" Wide Vault Models)

Spread Axles (7' Wide; Torsion Ride Only)

Spread Axles (7'6" Wide; Torsion Ride Only)

Spread Axles w/Skirting (8'6" Torsion Ride Only & CH; 8' NXT or Vault Available w/ No Skirting)

CAR ACCESS DOOR OPTIONS

Car Access Door (48"x60")

Car Access Door Custom Color Charge (Other than Black/White/Pewter/Gray)

6'x8' Elite Escape Door w/Removable Fender Kit (NXT CH Models)

SXS / UTV ACCESS DOOR OPTIONS

Flip-Up Side Elite Escape Door (NXT 7.5/7.4 Wide)

CONCESSION DOOR OPTIONS

Concession Door w/36"x48" Rough Opening

Concession Door w/36"x72" Rough Opening

FUEL DOOR OPTIONS

Square Fuel Door

NXT FRAME OPTIONS

Upgrade to Box Tube Crossmembers, 12' (NXT Models)

Upgrade to Box Tube Crossmembers, 14' (NXT Models)

Upgrade to Box Tube Crossmembers, 16' (NXT Models)

Upgrade to Box Tube Crossmembers, 18' (NXT Models)

Upgrade to Box Tube Crossmembers, 20' (NXT Models)

Upgrade to Box Tube Crossmembers, 24' (NXT Models)

Upgrade to 16" O/C Floor Crossmembers, 12' (NXT Models)

Upgrade to 16" O/C Floor Crossmembers, 14' (NXT Models)

Upgrade to 16" O/C Floor Crossmembers, 16' (NXT Models)

Upgrade to 16" O/C Floor Crossmembers, 18' (NXT Models)

Upgrade to 16" O/C Roof Crossmembers, 12' (NXT Models)

Upgrade to 16" O/C Roof Crossmembers, 14' (NXT Models)

Upgrade to 16" O/C Roof Crossmembers, 16' (NXT Models)

Upgrade to 16" O/C Roof Crossmembers, 18' (NXT Models)

SIDE WINDOW OPTIONS

24"x18" Side Window

20"x30" Side Window

RAMP ACCESSORIES OPTIONS

Remove Front Ramp Door

Aluminum Ramp Extension Kit (7' & 8' Wide)

FLOORING OPTIONS

Upgrade to 3/4" Quad Ply Decking, 10'

Upgrade to 3/4" Quad Ply Decking, 12'

Upgrade to 3/4" Quad Ply Decking, 14'

Upgrade to 3/4" Quad Ply Decking, 16'

Upgrade to 3/4" Quad Ply Decking, 18'

Upgrade to 3/4" Quad Ply Decking, 20'

Upgrade to 3/4" Quad Ply Decking, 24'

Upgrade to TPO Coin Flooring (Black), 10

Upgrade to TPO Coin Flooring (Black), 12'

Upgrade to TPO Coin Flooring (Black), 14'

Upgrade to TPO Coin Flooring (Black), 16'

Upgrade to TPO Coin Flooring (Black), 18'

Upgrade to TPO Coin Flooring (Black), 20'

Upgrade to TPO Coin Flooring (Black), 24'

Upgrade to 3/4" Marine Grade Decking, 10'

Upgrade to 3/4" Marine Grade Decking, 12'

Upgrade to 3/4" Marine Grade Decking, 14'

Upgrade to 3/4" Marine Grade Decking, 16'

Upgrade to 3/4" Marine Grade Decking, 18'

Upgrade to 3/4" Marine Grade Decking, 20'

Upgrade to 3/4" Marine Grade Decking, 24'



EXTRUDED ALUMINUM FLOORING OPTIONS (VAULT & NXT)

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 10'

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 12'

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 14'

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 16'

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 18'

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 20' Flat Front Models

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 24' Flat Front Models

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 20' V-Nose Models

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 24' V-Nose Models

BLACK QUAD FLOORING SNOW MODEL OPTIONS

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 147, NXTS 1474 & 1475)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 167)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 187, NXTS 1874 & 1875)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 207)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 227, NXTS 2274 & 2275)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 247, NXTS 2474, & 2475)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS148)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 168, NXTS168)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS188)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 208, NXTS 208)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 228, NXTS 228)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 248, NXTS 248)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB16, NXTS LB16)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS LB18)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB20)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB22, NXTS LB22)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB24, NXTS LB24)

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB28)

BLACK QUAD KICK PANEL OPTIONS

Quad Kick Panel, 14'

Quad Kick Panel, 16'

Quad Kick Panel, 18'

Quad Kick Panel, 20'

Quad Kick Panel, 22'

Quad Kick Panel, 24'

Quad Kick Panel, LB 16'

Quad Kick Panel, LB 20'

Quad Kick Panel, LB 22'

Quad Kick Panel, LB 24'

Quad Kick Panel, LB 28'

WHITE LAUAN INTERIOR WALL OPTIONS (INCLUDES EXTRUDED DIVIDERS)

White Vinyl Backed Lauan Walls (From 3/8" WR), 12' (NXT & Vault)

White Vinyl Backed Lauan Walls (From 3/8" WR), 14' (NXT & Vault)

White Vinyl Backed Lauan Walls (From 3/8" WR), 16' (NXT & Vault)

White Vinyl Backed Lauan Walls (From 3/8" WR), 18' (NXT & Vault)

White Vinyl Backed Lauan Walls (From 3/8" WR), 20' (NXT & Vault)

3/8" Marine Grade Walls (From 3/8" WR), 10' (NXT & Vault)

3/8" Marine Grade Walls (From 3/8" WR), 12' (NXT & Vault)

3/8" Marine Grade Walls (From 3/8" WR), 14' (NXT & Vault)

3/8" Marine Grade Walls (From 3/8" WR), 16' (NXT & Vault) 3/8" Marine Grade Walls (From 3/8" WR), 18' (NXT & Vault)

3/8" Marine Grade Walls (From 3/8" WR), 20' (NXT & Vault)

WHITE LAUAN INTERIOR OPTIONS (INCLUDES COVE PANELS; PANELS NOT LINED ON NXTS MODELS)

White Lauan Interior (PR147/NXTS1474/1475)

White Lauan Interior (PR187/NXTS1874/1875)

White Lauan Interior (PR227/NXTS2274/2275)

White Lauan Interior (PR247/NXTS2474/2475)

White Lauan Interior (NXTS148)

White Lauan Interior (PR168/LB16/NXTS168)

White Lauan Interior (NXTSLB18)

White Lauan Interior (PR208/LB20/NXTS208)

White Lauan Interior (PR228/LB22/LBHD22/NXTS228/NXTS22LB)

White Lauan Interior (PR248/LB24/LBHD24/NXTS248/NXTS24LB)

White Lauan Interior (LBHD28)

WHITE LAUAN CEILING OPTIONS (INCLUDES EXTRUDED DIVIDERS)

White Vinyl Backed Lauan Ceiling, 10' (NXT/Vault)

White Vinyl Backed Lauan Ceiling, 12' (NXT/Vault)

White Vinyl Backed Lauan Ceiling, 14' (NXT/Vault)

White Vinyl Backed Lauan Ceiling, 16' (NXT/Vault)

White Vinyl Backed Lauan Ceiling, 18' (NXT/Vault)

White Vinyl Backed Lauan Ceiling, 20' (NXT/Vault)

White Vinyl Backed Lauan Ceiling, 24' (NXT/Vault)

White Lauan Interior (PR208/LB20/NXTS208)

White Lauan Interior (PR228/LB22/LBHD22/NXTS228/NXTS22LB)

White Lauan Interior (PR248/LB24/LBHD24/NXTS248/NXTS24LB)

White Lauan Interior (LBHD28)

3/8 PLYWOOD WALLS/BROWN LAUAN CEILING OPTIONS

3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR168/LB16)

3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR208/LB20)

3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR228/LB22/LBHD22)

3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR248/LB24/LBHD24)

3/8" Plywood Walls/Brown Lauan Interior Ceiling (LBHD28)



ENCLOSED OPTIONS

ALUMINUM WHITE SKIN INTERIOR OPTIONS (INCLUDES COVE PANELS)

White Aluminum Skin Interior (147)

White Aluminum Skin Interior (167)

White Aluminum Skin Interior (187)

White Aluminum Skin Interior (207)

White Aluminum Skin Interior (227)

White Aluminum Skin Interior (247)

White Aluminum Skin Interior (168/LB16)

White Aluminum Skin Interior (208/LB20)

White Aluminum Skin Interior (228/LB22/LBHD22)

White Aluminum Skin Interior (248/LB24/LBHD24)

White Aluminum Skin Interior (LBHD28)

INTERIOR BLACK ACCENT OPTIONS (BLACK COVE, NOSE, SPRING PANS)

Black Interior Accents (147 PR & LB Only)

Black Interior Accents (167 PR & LB Only)

Black Interior Accents (187 PR & LB Only)

Black Interior Accents (207 PR & LB Only)

Black Interior Accents (227 PR & LB Only)

Black Interior Accents (247 PR & LB Only)

Black Interior Accents (168 PR & LB Only)

Black Interior Accents (208 PR & LB Only)

Black Interior Accents (228 PR & LB Only)

Black Interior Accents (248 PR & LB Only)

Black Interior Accents (LBHD28 PR & LB Only)

COMBO WALL OPTIONS (COST IS PER ROW OF COMBO WALL)

Combo Wall: 1 Row, 14' (V-Nose Included)

Combo Wall: 1 Row, 16' (V-Nose Included)

Combo Wall: 1 Row, 18' (V-Nose Included)

Combo Wall: 1 Row, 20' (V-Nose Included)

Combo Wall: 1 Row, 22' (V-Nose Included)

Combo Wall: 1 Row, 24' (V-Nose Included)

Combo Wall: 1 Row, 28' (V-Nose Included)

INSULATED WALLS & CEILING OPTIONS (MUST BE ORDERED WITH INTERIOR WALLS & CEILING)

Insulated Walls & Ceiling, 14'

Insulated Walls & Ceiling, 16'

Insulated Walls & Ceiling, 18'

Insulated Walls & Ceiling, 20'

Insulated Walls & Ceiling, 22'

Insulated Walls & Ceiling, 24'

Insulated Walls & Ceiling, 28'

INSULATED FLOOR OPTIONS

Insulated Floor, 14'

Insulated Floor, 16'

Insulated Floor, 18

Insulated Floor, 20

Insulated Floor, 22'

Insulated Floor, 24th

Insulated Floor, 28'

DIAMOND PLATE KICK PANEL OPTIONS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate Kick Panel, 14'

Diamond Plate Kick Panel, 16'

Diamond Plate Kick Panel, 18'

Diamond Plate Kick Panel, 20'

Diamond Plate Kick Panel, 22'

Diamond Plate Kick Panel, 24'

Diamond Plate 8" Kick Panel, LB 16'

Diamond Plate 8" Kick Panel, LB 20'

Diamond Plate 8" Kick Panel, LB 22' / LBHD22'

Diamond Plate 8" Kick Panel, LB 24' / LBHD24'

Diamond Plate 8" Kick Panel, LB 28' / LBHD28'

DIAMOND PLATE ON WALL OPTIONS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate on Walls (24" High), 14'

Diamond Plate on Walls (24" High), 16'

Diamond Plate on Walls (24" High), 18'

Diamond Plate on Walls (24" High), 20"

Diamond Plate on Walls (24" High), 22'

Diamond Plate on Walls (24" High), 24"

Diamond Plate on Walls (24" High), 28'

QUICKSLIDE ON WALL OPTIONS

Quickslide on Walls Above Kick Panel, 14'

Quickslide on Walls Above Kick Panel, 16'

Quickslide on Walls Above Kick Panel, 18'

Quickslide on Walls Above Kick Panel, 20'

Quickslide on Walls Above Kick Panel, 22'

Quickslide on Walls Above Kick Panel, 24'

Quickslide on Walls Above Kick Panel, 28'

Quickslide on Walls Below Kick Panel, 14'

Quickslide on Walls Below Kick Panel, 16

Quickslide on Walls Below Kick Panel, 18'

Quickslide on Walls Below Kick Panel, 20'

Quickslide on Walls Below Kick Panel, 22 Quickslide on Walls Below Kick Panel, 24

Quickslide on Walls Below Kick Panel, 28'



QUICKSLIDE DOWN MIDDLE OPTIONS (3RD ROW - LB)

Quickslide Down Middle, 16'

Quickslide Down Middle, 20'

Quickslide Down Middle, 22'

Quickslide Down Middle, 24'

Quickslide Down Middle, 28'

ELECTRICAL / LIGHT OPTIONS

POWER SUPPLIES

12V-15A Basic Converter Package (No Lights; Must Choose Battery Option)

12V-15A Premium Converter Package (No Lights; Must Choose Battery Option)

12V-20A Premium Converter Package (No Lights; Must Choose Battery Option)

12V-30A Premium Converter Package (No Lights; Must Choose Battery Option)

Pass-Thru, 15AMP

Pass-Thru, 20AMP

BATTERY OPTIONS

Battery, Standard (8W)

Battery, Standard (7W)

Battery, Double Box Standard (8W)

Battery, w/V Cabinet Location Standard (8W)

OUTLETS

(1) 110V Decora Wall Outlet

(1) 110V Decora Cove Outlet

Exterior Outlet w/Interior Outlet

INTERIOR LIGHTING 12V

(2) LED Dome Lights; Roof; 920 Lumens Per Light

(12) LED Round Lights; Roof (Must Have Ceiling)

(4) Rectangle LED Lights; Roof; 2100 Lumens Per Light

(2) 16' LED Strip Lights; Roof; 1068 Lumens Per Light

(4 Per Side) LED Round Lights; Cove

(1 Per Side) 16' LED Strip Lights; Cove; 1068 Lumens Per Strip

Cove Pans: Use w/Cove Light Kit & No Interior, 14'

Cove Pans: Use w/Cove Light Kit & No Interior, 16'

Cove Pans: Use w/Cove Light Kit & No Interior, 18'

Cove Pans: Use w/Cove Light Kit & No Interior, 20'

Cove Pans: Use w/Cove Light Kit & No Interior, 22'

Cove Pans: Use w/Cove Light Kit & No Interior, 24'

Cove Pans: Use w/Cove Light Kit & No Interior, 28'

EXTERIOR LIGHTING 12V

(1) 1x3 LED Load Light w/Switch; Centered Above Man Door

(1) 1x3 LED Load Light w/Switch; Centered Above Front Ramp Door

(1) 1x3 LED Load Light w/Switch; Centered Above Rear Ramp Door

(2) 1x3 LED Load Light w/Switch; Corners Above Rear Ramp Door

LED Load Light; Front or Rear Ramp Door Spring Pan Location w/Switch (Must Order Interior)

Exterior Scene Lights w/Switch (2 Lights on CS; 2500 Lumens Per Light)

Exterior Scene Lights w/Switch (2 Lights on CS; 1400 Lumens Per Light)

Rear Back Up Light (Includes 2 Lights; 1400 Lumens Per Light)

Clear Exterior Lights w/Rear Load (500 Lumens Per Light)

Backup Light w/LED Upgrade (XT Series)

Backup Light w/LED Upgrade (Prestige, LB, LBHD)

LIGHTING SWITCHES / CIRCUITS

(1) 3-Way Circuit 12V

(2) 3-Way Circuit 12V

(3) 3-Way Circuit 12V

(1) 2-Way Switched Light Circuit (12V)

(2) 2-Way Switched Light Circuits (12V)

(3) 2-Way Switched Light Circuits (12V)

Auto-On Door Switch (12V; Cannot be Combined w/3-Way Circuit)

Single Switch Wired to Aux Light as Load Light

POWER ACCESSORIES

30 Amp Power Cord, 25'

Battery Charger / Tender Kit (Not Available w/11383 or 11384)

Charging Center Kit (Placed In Premium Converter or Inside Nose)

Solar Charger (Battery Trickle Charger)



HVAC

Prep for A/C Unit (7W; Extra Roof Bows & Run Power Wire)

Prep for A/C Unit (8W; Extra Roof Bows & Run Power Wire)

AC Roof 13.5K BTU (7W; Includes 10464; Must Order w/11384-20 or 11384-30)

AC Roof 13.5K BTU (8W; Includes 10441; Must Order w/11384-20 or 11384-30)

LP Furnace 35K BTU; White (Requires 11383-15 Converter or Higher & Quad Floor)

LP Furnace 35K BTU; Black (Requires 11383-15 Converter or Higher & Quad Floor)

Floor Drain

VENTS

Roof Vent - Field Install

Roof Vent - Factory Install

Roof Vent w/Fan - Factory Install

Roof Vent w/Fan (Fantastic Fan) - Factory Install

Side Vents (Pair) - Factory Install

Roof Vent Cover

ANODIZED SKIRT

12" High Anodized Skirt, 14'

12" High Anodized Skirt, 16'

12" High Anodized Skirt, 18'

12" High Anodized Skirt, 20'

12" High Anodized Skirt, 22'

12" High Anodized Skirt, 24'

12" High Anodized Skirt, 28'

16" High Anodized Skirt, 14'

16" High Anodized Skirt, 16'

16" High Anodized Skirt, 18'

16" High Anodized Skirt, 20'

16" High Anodized Skirt, 22'

16" High Anodized Skirt, 24'

16" High Anodized Skirt, 28'

EXTERIOR OPTIONS

Stabilizer Scissor Jack (Pair w/Handle)

(2) Rear Frame Rollers (Standard on LB & LBHD)

Roof Rack Kit (Sold Individually)

Electric Tongue Jack Option (12V Auxiliary Battery Recommended)

Upgrade to Flat Pad Jack

MULTI-COLOR EXTERIOR SKIN

Multi-Color (6' High)

Multi-Color (6'6" High)

Multi-Color (7' High)

Multi-Color (7'6" High)

Multi-Color (6'6" High; Lowboy)

Multi-Color, 7' High; Lowboy)

Multi-Color (7'6" High; Lowboy)

UPGRADED EXTERIOR SKIN

3' High Diamond Plate Stone Guard

4' High Diamond Plate Stone Guard

Diamond Plate to Top of V-Nose

.040 Exterior Skin, 14'

.040 Exterior Skin, 16'

.040 Exterior Skin, 18'

.040 Exterior Skin, 201

.040 Exterior Skin, 22'

.040 Exterior Skin, 24'

.050 Exterior Skin. 14'

.040 Exterior Skin, V-Front Only

.050 Exterior Skin, 16'

.050 Exterior Skin, 18'

.050 Exterior Skin, 20'

.050 Exterior Skin, 22'

.050 Exterior Skin, 24'

.050 Exterior Skin, V-Front Only

.078 PolyCOR Exterior Skin, 10

.078 PolyCOR Exterior Skin, 12'

.078 PolyCOR Exterior Skin, 14'

.078 PolyCOR Exterior Skin, 16'

.078 PolyCOR Exterior Skin, 18'

.078 PolyCOR Exterior Skin, 20'

.078 PolyCOR Exterior Skin, 24'

Note: PolyCOR available in White, Black & Charcoal; Call for .040 and .050 Color Availability

SIDE AWNING (STANDARD COLOR: ONYX)

16' Side Awning

18' Side Awning

20' Side Awning

Upgrade Awning Color: Black & White Checkered Flag



RACKS / CABINETS / SHELVES

Cabinet x32" - White

Cabinet x48" - White

Cabinet x48" - Black

Clothes Hanger Kit for 32" or 48" Helmet Cabinet

Wheel Well Cabinet, LB (White)

Wheel Well Cabinet, LB (Black)

Helmet Cabinet, 14"D x 49.5"W x 16" Framed (Black)

Base Cabinet, 16"D x 55"W x 36" Framed (Black)

Paper Towel Rack

Two-Shelf Oil Rack

Three-Shelf Combo Rack

Work Bench Shelf (41" Off Floor)

Folding Seat (17-1/4" Off Floor to Top of Seat; Cannot Put in Beavertail Location)

Jack-Knife Couch (Must Order Quickslide on Walls if Factory Installed; Cannot Put in Beavertail Location)

Workstation / Cabinet

Trimmer Rack Kit

Fuel Jug Rack Kit

Coat Rack

SPARE TIRE RACKS / CLOSET

Spare Tire Carrier (Diamond Plate)

Spare Tire Carrier (Hoop Style)

Tire Closet (7' Wide)

Tire Closet (8' Wide)

Tire Closet LB (Not Available on LB16)

Tire Closet Hinge Kit (Not Available on 7' Wide)

SPARE TIRES & UPGRADES

Tire Upgrade, #06193 14" Aluminum Rim (8' Wide; Tandem Axle)

Tire & Wheel, ST205/75R14 Alum OR TML

Tire & Wheel, ST205/75 R-14C Silver

Tire & Wheel, ST205/75R-15C Alum OR TML

Tire & Wheel, ST205/75 R15C Silver

Tire & Wheel, ST22575R15E Silver

Tire & Wheel, ST22575R15E Alum OR TML

Tire & Wheel, ST205/75 R-14C White (7' Wide)

Tire & Wheel, 175/R13D Alum (8' Wide) OR TML

Tire & Wheel, 175/R-13D White (8' Wide)

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST22575R15E White

TIE-DOWN KITS

Tie-Down Flush Mount Kit (Pair)

HD Tie-Downs (Each)

Quickslide Tie-Down Kit, Eyebolt (2 Pieces)

Quickslide Tie-Down Kit, Flush (2 Pieces)

Tie-Down Kit (4 Pieces)

Combo Companion Kit (8 Pieces)

Combo Quick Release Tie-Down Kit (4 Pieces)

Tie-Down Bar Stool Kit (2 Pair)

IN-FLOOR QUICKSLIDE NXT & VAULT MODELS

Quickslide in Floor, (2) Rows, 10'

Quickslide in Floor, (2) Rows, 12'

Quickslide in Floor, (2) Rows, 14'

Quickslide in Floor, (2) Rows, 16'

Quickslide in Floor, (2) Rows, 18'

Quickslide in Floor, (2) Rows, 20' Quickslide in Floor, (2) Rows, 24'

Quickslide Tie-Down Kit, Eyebolt (2 Pieces)

Quickslide Tie Down Kit. Flush Mount (2 Pieces)

Quickslide Tie Down Kit, D-Ring 5/16" (2 Pieces)

Quickslide Tie Down Kit, D-Ring 3/8" (2 Pieces)

MOTORCYCLE ACCESSORIES

Quickslide Motorcycle Wheel Chock Kit (Requires Quickslide in Floor); Includes: (1) #03666 18" MCT Chock, (2) #08843 1/2-13 x 1 BHSCS Z/Y, (2) #07728 Keeper Block

Flush Mount Wheel Chock Option

CONTRACTOR ACCESSORIES

Heavy Duty Roof Mounted Ladder Rack (Each); NXT Version

Roof Rack Kit (Each); Vault Version

V-Nose Mounted Ladder

10' Catwalk w/3 Roof Racks & Ladder (NXT Only)

12' Catwalk w/3 Roof Racks & Ladder (NXT Only)

14' Catwalk w/4 Roof Racks & Ladder (NXT Only)

16' Catwalk w/4 Roof Racks & Ladder (NXT Only)

18' Catwalk w/5 Roof Racks & Ladder (NXT Only)

20' Catwalk w/6 Roof Racks & Ladder (NXT Only)

Upgrade to Roller on Rear Ladder Rack (NXT Only)

Swing Door-Mounted Rear Stowable Ramps; Kit Includes Extra Hinges for Swing Doors, (2) 26" x 72" Ramps, & Ramp Lock Tray

JACKS & JACK ACCESSORIES

Stabilizer Jacks (Pair)

AH Premium Bogey Wheels (Pair)

Scissor Jacks (Camper Style, Pair)

Upgrade to 8000# Pedestal Jack



ROCKY MOUNTAIN EDITION PACKAGE

Rocky Mountain Edition Features: Quad Ply Decking Box; Front Ramp & Rear Ramp; Quad-Ply Kick Plate; White Lauan Interior; Insulated Walls & Ceiling; Combo Wall w/(2) Upper Rows & (1) Lower Row (Includes V-Nose); Additional Side Access Door; 48" Furnace Box; 40,000 BTU Furnace; Safety Kit; HD Propane Tank Mount; 40# Propane Tank; 36" Heat Duct; (2) 48" Deluxe Overhead Cabinets (09257 White or Black); 60A Breaker Panel w/Converter (Housed in Furnace Box); 30A Motor Base Plug; (2) 3-Way Switches; GFCI Wall Receptacle; Standard Wall Receptacle; (2) USB Wall Receptacles; Marine Grade Battery & Box; (12) LED Puck Lights; (4) Sets of Wall Coat Hangers; (2) Sets of Ceiling Mounted Hangers; Spare Tire Carrier; (2) Fold-Out Bench Seats; & Custom RME Decals

ROCKY MOUNTAIN EDITION

RME-16' PR, LB, & NXT LB (No Additional Door, (1) OH Cabinet, (1) Bench Seat)

RME-18' PR, LB, & NXT LB (No Additional Door, (1) OH Cabinet, (1) Bench Seat)

RME-20' PR, LB, & NXT LB

RME-22' PR, LB, & NXT LB

RME-24' PR, LB, & NXT LB

RME-28' PR, LB, & NXT LB

ROCKY MOUNTAIN EDITION ADD-ONS

Ducted Wall Mounted Boot / Glove Dryer Tree (8 Slots)

ARCTIC ADVENTURE HEATER PACKAGE

Arctic Adventure Package Features: White Lauan Interior; Insulated Walls and Ceiling; 48" Furnace Box; 40,000 BTU Furnace; Safety Kit; HD Propane Tank Mount; 40# Propane Tank; 36" Heat Duct; Deluxe Overhead Cabinet (09257 White or Black); 15A Motor Base Plug; 12V Converter; (3) Sets of Wall Mounted Coat Hangers

ARCTIC ADVENTURE HEATER

AAHP-14' PR

AAHP-16' PR, LB, & NXT LB

AAHP-18' PR, LB, & NXT LB

AAHP-20' PR, LB, & NXT LB

AAHP-22' PR, LB, & NXT LB

AAHP-24' PR, LB, & NXT LB

AAHP-28' PR, LB, & NXT LB



ADDITIONAL LIGHT OPTIONS

DESCRIPTION

Light, 2 1/2" Round Amber Clearance

Light, 2 1/2" Round Red Clearance

Grommet, 2 1/2" Round

Bracket, License Plate Light Kit

Tail Light, Oval

Bracket, License Plate (Plastic)

Light, 2" Round Red Clearance

Grommet, 2" Round

Lens, Side and Tail - LXT/XTV

Reflector, Amber

Light, 2" Round Amber Clearance

Grommet, Rectangle Clearance Light

Light, Rectangle License Plate, Clear

Reflector, Red

Grommet, Oval Tail

Light, Rectangle Clearance, Red

Light, Rectangle Clearance, Amber

Tail Light, RH (LXT/XTV/DOP)

Tail Light, LH (LXT/XTV/DOP)

Reflector, Amber - AUT

Light, ID Bar

Light, 2 1/2" Round Red Clearance - WCII

Grommet, 2 1/2" Closed Black

Amber Clearance Light - WAVE (2015)

Red Clearance Light - WAVE (2015)

DESCRIPTION

Light, Rect. Clearance Red - Enc.

Light, Rect. Clearance Amber - Enc.

Bracket, W/.180 Bullet - (07846/07847)

LED Light, 2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Amber

LED Light, Oval Tail Light

Light, Clearance Amber STICKON - LXT

Lens, Amber LXT

LED Light, Clearance - 4" Rec. Red - Enc.

LED Light, Clearance - 4" Rec. Amber - Enc.

LED Light, Clearance - 2 1/2" Rec. Red - Enc.

LED Light, Clearance - 2 1/2" Red - Super 10

LED Light, Clearance - 2" Round, Amber

LED Light, Clearance Rect., Amber

Light, Halogen

Light, Fender Clearance Combo

LED Light, License Plate

LED Light, Round White Flush Mount

LED Tail Light, Bar w/Reflex

LED Marker Light, Bullet Red W/Grom

LED Marker Light, Bullet Amber W/Grom

Tail Light Bar LED - Vault/Enc.

LED, CID Bar

Tail Light Oval LED - WAVE





ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS