

ENCLOSED CARGO VAULT SERIES

TRITON
TRAILERS



VC-610R, VC-610S, VC-612R, VC-612S

STANDARD FEATURES

- > .030" Aluminum Panels
 - > A-Frame Tongue Design
 - > 16" Wall Studs w/Ceiling and Floor Cross Members
 - > Sealed LED Bullet Marker Lights and Stop, Turn, Tail Light Bars
 - > ¾" Treated Marine Grade Plywood Floor
- > 3/8" Plywood Walls
 - > Double Seal Door
 - > Side Access Door
 - > Dual Side Vents
 - > Four Flush Mount D-Rings (6' and 7' Wide)
 - > Six Flush Mount D-Rings (8' Wide)
 - > 1200 lbs. Tongue Jack w/Swivel Wheel
- > 24" Diamond Plate
 - > Tongue Design for Truck Bed Clearance
 - > Spring Assist Ramp Door w/Angled Approach
 - > Interior LED Dome Light (6' and 7' Wide)
 - > Two Interior LED Dome Light (8' Wide)
 - > Single or Tandem Torsion Axle (6' & 7' Wide)
 - > Tandem Torsion Axles (8' Wide)
- > 10', 12', 14', 16' Deck Length (6' and 7' Wide - not including 22" or 26" V-Nose)
 - > 16', 18', 20' Deck Length (8' Wide - not including 31" V-Nose)
 - > Available Box Heights 6', 6'6", 7'
 - > Spacious 73" Clearance Between 13.5" High Wheel Wells (8' Wide)

STANDARD SPECIFICATIONS

TRAILER MODEL	VC-610R	VC-610S	VC-612R	VC-612S
No. of Axles	1	1	1	1
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"
Trailer Weight	1310 lb	1310 lb	1410 lb	1410 lb
GVWR Without Brakes	2995 lb	2995 lb	2995 lb	2995 lb
Carrying Capacity w/Out Brakes	1685 lb	1685 lb	1585 lb	1585 lb
GVWR With Brakes	3500 lb	3500 lb	3500 lb	3500 lb
Carrying Capacity w/Brakes	2190 lb	2190 lb	2090 lb	2090 lb
Bed (WxL)	69x120" (Plus 22" V-Nose)	69x120" (Plus 22" V-Nose)	69x144" (Plus 22" V-Nose)	69x144" (Plus 22" V-Nose)
Overall Width	90"	90"	90"	90"
Overall Length	166"	166"	190"	190"
Hitch Height	14"	14"	14"	14"
Coupler Size	2"	2"	2"	2"
Standard Tires	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
Optional Tires	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
Rear Door Style	Ramp	Swing	Ramp	Swing

VC-612-2R, VC-612-2S, VC-614R, VC-614S

STANDARD SPECIFICATIONS

TRAILER MODEL	VC-612-2R	VC-612-2S	VC-614R	VC-614S
No. of Axles	2	2	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"	6' - 63 1/2x66", 6'6" - 63 1/2x72", 7' - 63 1/2x78"
Trailer Weight	1670 lb	1670 lb	1795 lb	1795 lb
GVWR Without Brakes	2995 lb	2995 lb	N/A	N/A
Carrying Capacity w/Out Brakes	1325 lb	1325 lb	N/A	N/A
GVWR With Brakes	7000 lb	7000 lb	7000 lb	7000 lb
Carrying Capacity w/Brakes	5330 lb	5330 lb	5205 lb	5205 lb
Bed (WxL)	69x144" (Plus 22" V-Nose)	69x144" (Plus 22" V-Nose)	69x168" (Plus 22" V-Nose)	69x168" (Plus 22" V-Nose)
Overall Width	90"	90"	90"	90"
Overall Length	190"	190"	214"	214"
Hitch Height	14"	14"	14"	14"
Coupler Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Standard Tires	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
Optional Tires	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
Rear Door Style	Ramp	Swing	Ramp	Swing

VC-712R, VC-712S, VC-712R-2R, VC-712-2S

STANDARD SPECIFICATIONS

TRAILER MODEL	VC-712R	VC-712S	VC-712R-2R	VC-712-2S
No. of Axles	1	1	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"
Trailer Weight	1460 lb	1460 lb	1725 lb	1725 lb
GVWR Without Brakes	2995 lb	2995 lb	N/A	N/A
Carrying Capacity w/Out Brakes	1535 lb	1535 lb	N/A	N/A
GVWR With Brakes	3500 lb	3500 lb	7000 lb	7000 lb
Carrying Capacity w/Brakes	2040 lb	2040 lb	5275 lb	5275 lb
Bed (WxL)	81x144" (Plus 26" V-Nose)	81x144" (Plus 26" V-Nose)	81x144" (Plus 26" V-Nose)	81x144" (Plus 26" V-Nose)
Overall Width	102"	102"	102"	102"
Overall Length	197"	197"	197"	197"
Hitch Height	14"	14"	14"	14"
Coupler Size	2"	2"	2 5/16"	2 5/16"
Standard Tires	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
Optional Tires	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
Rear Door Style	Ramp	Swing	Ramp	Swing

VC-714R, VC-714S, VC-716R, VC-716S

STANDARD SPECIFICATIONS

TRAILER MODEL	VC-714R	VC-714S	VC-716R	VC-716S
No. of Axles	2	2	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"	6' - 75x66", 6'6" - 75x72", 7' - 75x78"
Trailer Weight	1815 lb	1815 lb	1905 lb	1905 lb
GVWR Without Brakes	N/A	N/A	N/A	N/A
Carrying Capacity w/Out Brakes	N/A	N/A	N/A	N/A
GVWR With Brakes	7000 lb	7000 lb	7000 lb	7000 lb
Carrying Capacity w/Brakes	5185 lb	5185 lb	5095 lb	5095 lb
Bed (WxL)	81x168" (Plus 26" V-Nose)	81x168" (Plus 26" V-Nose)	81x192" (Plus 26" V-Nose)	81x192" (Plus 26" V-Nose)
Overall Width	102"	102"	102"	102"
Overall Length	221"	221"	245"	245"
Hitch Height	14"	14"	14"	14"
Coupler Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Standard Tires	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C	ST205/75 D14C
Optional Tires	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS	ST205/75 R14C ALUM RIMS, ST205/75 D15C STEEL RIMS, ST205/75 R15C ALUM RIMS
Rear Door Style	Ramp	Swing	Ramp	Swing

VC-816R, VC-816S, VC-818R, VC-818S

STANDARD SPECIFICATIONS

TRAILER MODEL	VC-816R	VC-816S	VC-818R	VC-818S
No. of Axles	2	2	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"
Trailer Weight	2260 lbs	2260 lb	2360 lb	2360 lb
GVWR Without Brakes	N/A	N/A	N/A	N/A
Carrying Capacity w/Out Brakes	N/A	N/A	N/A	N/A
GVWR With Brakes	7000/9995 lb	7000/9995 lb	7000/9995 lb	7000/9995 lb
Carrying Capacity w/Brakes	4740/7735 lb	4740/7735 lb	4640/7635 lb	4640/7635 lb
Bed (WxL)	92x189" (Plus 31" V-Nose)	92x189" (Plus 31" V-Nose)	93x213" (Plus 31" V-Nose)	93x213" (Plus 31" V-Nose)
Overall Width	99"	99"	99"	99"
Overall Length	257"	257"	281"	281"
Hitch Height	18"	18"	18"	18"
Coupler Size	2 5/16"	2 5/16"	2 5/16"	2 5/16"
Standard Tires	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle
Optional Tires	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle
Rear Door Style	Ramp	Swing	Ramp	Swing

VC-820R, VC-820S

STANDARD SPECIFICATIONS

TRAILER MODEL	VC-820R	VC-820S
No. of Axles	2	2
Available Interior Height	72", 78", 84"	72", 78", 84"
Rear Door Opening (WxH)	6' - 87x66", 6'6" - 87x72", 7' - 87x78"	6' - 87x66", 6'6" - 87x72", 7' - 87x78"
Trailer Weight	2499 lb	2499 lb
GVWR Without Brakes	N/A	N/A
Carrying Capacity w/Out Brakes	N/A	N/A
GVWR With Brakes	7000/9995 lb	7000/9995 lb
Carrying Capacity w/Brakes	4501/7496 lb	4501/7496 lb
Bed (WxL)	93x237" (Plus 31" V-Nose)	93x237" (Plus 31" V-Nose)
Overall Width	99"	99"
Overall Length	305"	305"
Hitch Height	18"	18"
Coupler Size	2 5/16"	2 5/16"
Standard Tires	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle	ST205/75 D15C 3500# Axle, ST225/75 R15C 5200# Axle
Optional Tires	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle	ST205/75 R14C ALUM RIMS 3500# Axle, ST225/75 R15E ALUM RIMS 5200# Axle
Rear Door Style	Ramp	Swing

OPTIONS & ACCESSORIES

Vault Series
Roof Vent
Wall Switch Circuit 2-Way
Hoop Style Spare Tire Carrier (Spare Tire Sold Separately)
Flush Mount Set of 2 D-Ring Tie-Downs
Stabilizer Jacks (for 6' & 7' Wide)
Stabilizer Jacks (8' Wide)
5200 lb. Axle Upgrade (8' Wide)
Electric Drum Brakes
Step Kit
Side Access Door Window

Vault Series
Basic 110V 30 Amp Converter
30 AMP Power Cord
Wall Switch
LED Interior Dome
Roof Rack
Height Increase for Vault
Stabilizer Jacks
Vault Color Options
Diamond Plate Spare Tire Carrier
Brown Luan Ceiling

COLOR OPTIONS



Black



White



Charcoal Grey



Metallic Pewter

SIDE DOORS & STEPS OPTIONS

Window in Side Access Door
Screen Door in Side Access Door
Keyless Entry For Side Access Door
Spring Door Chain Kit
Step Kit - Factory Installed
Fold-Out Step Kit
32" Wide Fold Out Step Kit
Lighted Grab Handle w/Switch
Additional Locking Bar for Side Door
Side Door Custom Color Charge (Per Door; other than Black/White/Pewter/Gray)
Move Standard Lowboy (LB) Door to Beavertail Position (6'6", 7', 7'6")
Additional LB Side Door (6'6")
Additional LB Side Door (7')
Additional LB Side Door (7'6")
Additional LB Side Door, Beavertail Position (6'6")
Additional LB Side Door, Beavertail Position (7')
Additional LB Side Door, Beavertail Position (7'6")
Side Door Lock

CONSTRUCTION OPTIONS

12" Extended Tongue (Includes Third Tongue Member; NXT Models)
Rear Spoiler w/LED Load Lights (7' Wide NXT Models)
Rear Spoiler w/LED Load Lights (7'6" Wide NXT Models)
Rear Spoiler w/LED Load Lights (8'6" Wide NXT Models)
Rear Spoiler w/LED Load Lights (7' Wide Vault Models)
Rear Spoiler w/LED Load Lights (7'6" Wide Vault Models)
Rear Spoiler w/LED Load Lights (8'6" Wide Vault Models)
Spread Axles (7' Wide; Torsion Ride Only)
Spread Axles (7'6" Wide; Torsion Ride Only)
Spread Axles w/Skirting (8'6" Torsion Ride Only & CH; 8' NXT or Vault Available w/ No Skirting)

CAR ACCESS DOOR OPTIONS

Car Access Door (48"x60")
Car Access Door Custom Color Charge (Other than Black/White/Pewter/Gray)
6'x8' Elite Escape Door w/Removable Fender Kit (NXT CH Models)

SXS / UTV ACCESS DOOR OPTIONS

Flip-Up Side Elite Escape Door (NXT 7.5/7.4 Wide)

CONCESSION DOOR OPTIONS

Concession Door w/36"x48" Rough Opening
Concession Door w/36"x72" Rough Opening

FUEL DOOR OPTIONS

Square Fuel Door

NXT FRAME OPTIONS

Upgrade to Box Tube Crossmembers, 12' (NXT Models)
Upgrade to Box Tube Crossmembers, 14' (NXT Models)
Upgrade to Box Tube Crossmembers, 16' (NXT Models)
Upgrade to Box Tube Crossmembers, 18' (NXT Models)
Upgrade to Box Tube Crossmembers, 20' (NXT Models)
Upgrade to Box Tube Crossmembers, 24' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 12' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 14' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 16' (NXT Models)
Upgrade to 16" O/C Floor Crossmembers, 18' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 12' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 14' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 16' (NXT Models)
Upgrade to 16" O/C Roof Crossmembers, 18' (NXT Models)

SIDE WINDOW OPTIONS

24"x18" Side Window
20"x30" Side Window

RAMP ACCESSORIES OPTIONS

Remove Front Ramp Door
Aluminum Ramp Extension Kit (7' & 8' Wide)

FLOORING OPTIONS

Upgrade to 3/4" Quad Ply Decking, 10'
Upgrade to 3/4" Quad Ply Decking, 12'
Upgrade to 3/4" Quad Ply Decking, 14'
Upgrade to 3/4" Quad Ply Decking, 16'
Upgrade to 3/4" Quad Ply Decking, 18'
Upgrade to 3/4" Quad Ply Decking, 20'
Upgrade to 3/4" Quad Ply Decking, 24'
Upgrade to TPO Coin Flooring (Black), 10'
Upgrade to TPO Coin Flooring (Black), 12'
Upgrade to TPO Coin Flooring (Black), 14'
Upgrade to TPO Coin Flooring (Black), 16'
Upgrade to TPO Coin Flooring (Black), 18'
Upgrade to TPO Coin Flooring (Black), 20'
Upgrade to TPO Coin Flooring (Black), 24'
Upgrade to 3/4" Marine Grade Decking, 10'
Upgrade to 3/4" Marine Grade Decking, 12'
Upgrade to 3/4" Marine Grade Decking, 14'
Upgrade to 3/4" Marine Grade Decking, 16'
Upgrade to 3/4" Marine Grade Decking, 18'
Upgrade to 3/4" Marine Grade Decking, 20'
Upgrade to 3/4" Marine Grade Decking, 24'

EXTRUDED ALUMINUM FLOORING OPTIONS (VAULT & NXT)

Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 10'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 12'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 14'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 16'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 18'
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 20' Flat Front Models
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 24' Flat Front Models
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 20' V-Nose Models
Upgrade to Extruded Aluminum Floor, Rear Ramp Door & Flap, 24' V-Nose Models

BLACK QUAD FLOORING SNOW MODEL OPTIONS

Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 147, NXTS 1474 & 1475)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 167)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 187, NXTS 1874 & 1875)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 207)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 227, NXTS 2274 & 2275)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 247, NXTS 2474, & 2475)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS148)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 168, NXTS168)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS188)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 208, NXTS 208)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 228, NXTS 228)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (PR 248, NXTS 248)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB16, NXTS LB16)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (NXTS LB18)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB20)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB22, NXTS LB22)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB24, NXTS LB24)
Quad-Ply Floor, Rear Ramp Door, Front Ramp Door (LB28)

BLACK QUAD KICK PANEL OPTIONS

Quad Kick Panel, 14'
Quad Kick Panel, 16'
Quad Kick Panel, 18'
Quad Kick Panel, 20'
Quad Kick Panel, 22'
Quad Kick Panel, 24'
Quad Kick Panel, LB 16'
Quad Kick Panel, LB 20'
Quad Kick Panel, LB 22'
Quad Kick Panel, LB 24'
Quad Kick Panel, LB 28'

WHITE LAUAN INTERIOR WALL OPTIONS (INCLUDES EXTRUDED DIVIDERS)

White Vinyl Backed Lauan Walls (From 3/8" WR), 12' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 14' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 16' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 18' (NXT & Vault)
White Vinyl Backed Lauan Walls (From 3/8" WR), 20' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 10' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 12' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 14' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 16' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 18' (NXT & Vault)
3/8" Marine Grade Walls (From 3/8" WR), 20' (NXT & Vault)

WHITE LAUAN INTERIOR OPTIONS (INCLUDES COVE PANELS; PANELS NOT LINED ON NXTS MODELS)

White Lauan Interior (PR147/NXTS1474/1475)
White Lauan Interior (PR187/NXTS1874/1875)
White Lauan Interior (PR227/NXTS2274/2275)
White Lauan Interior (PR247/NXTS2474/2475)
White Lauan Interior (NXTS148)
White Lauan Interior (PR168/LB16/NXTS168)
White Lauan Interior (NXTSLB18)
White Lauan Interior (PR208/LB20/NXTS208)
White Lauan Interior (PR228/LB22/LBHD22/NXTS228/NXTS22LB)
White Lauan Interior (PR248/LB24/LBHD24/NXTS248/NXTS24LB)
White Lauan Interior (LBHD28)

WHITE LAUAN CEILING OPTIONS (INCLUDES EXTRUDED DIVIDERS)

White Vinyl Backed Lauan Ceiling, 10' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 12' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 14' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 16' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 18' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 20' (NXT/Vault)
White Vinyl Backed Lauan Ceiling, 24' (NXT/Vault)
White Lauan Interior (PR208/LB20/NXTS208)
White Lauan Interior (PR228/LB22/LBHD22/NXTS228/NXTS22LB)
White Lauan Interior (PR248/LB24/LBHD24/NXTS248/NXTS24LB)
White Lauan Interior (LBHD28)

3/8 PLYWOOD WALLS/BROWN LAUAN CEILING OPTIONS

3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR168/LB16)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR208/LB20)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR228/LB22/LBHD22)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (PR248/LB24/LBHD24)
3/8" Plywood Walls/Brown Lauan Interior Ceiling (LBHD28)

ALUMINUM WHITE SKIN INTERIOR OPTIONS (INCLUDES COVE PANELS)

White Aluminum Skin Interior (147)
White Aluminum Skin Interior (167)
White Aluminum Skin Interior (187)
White Aluminum Skin Interior (207)
White Aluminum Skin Interior (227)
White Aluminum Skin Interior (247)
White Aluminum Skin Interior (168/LB16)
White Aluminum Skin Interior (208/LB20)
White Aluminum Skin Interior (228/LB22/LBHD22)
White Aluminum Skin Interior (248/LB24/LBHD24)
White Aluminum Skin Interior (LBHD28)

INTERIOR BLACK ACCENT OPTIONS (BLACK COVE, NOSE, SPRING PANS)

Black Interior Accents (147 PR & LB Only)
Black Interior Accents (167 PR & LB Only)
Black Interior Accents (187 PR & LB Only)
Black Interior Accents (207 PR & LB Only)
Black Interior Accents (227 PR & LB Only)
Black Interior Accents (247 PR & LB Only)
Black Interior Accents (168 PR & LB Only)
Black Interior Accents (208 PR & LB Only)
Black Interior Accents (228 PR & LB Only)
Black Interior Accents (248 PR & LB Only)
Black Interior Accents (LBHD28 PR & LB Only)

COMBO WALL OPTIONS (COST IS PER ROW OF COMBO WALL)

Combo Wall: 1 Row, 14' (V-Nose Included)
Combo Wall: 1 Row, 16' (V-Nose Included)
Combo Wall: 1 Row, 18' (V-Nose Included)
Combo Wall: 1 Row, 20' (V-Nose Included)
Combo Wall: 1 Row, 22' (V-Nose Included)
Combo Wall: 1 Row, 24' (V-Nose Included)
Combo Wall: 1 Row, 28' (V-Nose Included)

INSULATED WALLS & CEILING OPTIONS (MUST BE ORDERED WITH INTERIOR WALLS & CEILING)

Insulated Walls & Ceiling, 14'
Insulated Walls & Ceiling, 16'
Insulated Walls & Ceiling, 18'
Insulated Walls & Ceiling, 20'
Insulated Walls & Ceiling, 22'
Insulated Walls & Ceiling, 24'
Insulated Walls & Ceiling, 28'

INSULATED FLOOR OPTIONS

Insulated Floor, 14'
Insulated Floor, 16'
Insulated Floor, 18'
Insulated Floor, 20'
Insulated Floor, 22'
Insulated Floor, 24'
Insulated Floor, 28'

DIAMOND PLATE KICK PANEL OPTIONS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate Kick Panel, 14'
Diamond Plate Kick Panel, 16'
Diamond Plate Kick Panel, 18'
Diamond Plate Kick Panel, 20'
Diamond Plate Kick Panel, 22'
Diamond Plate Kick Panel, 24'
Diamond Plate 8" Kick Panel, LB 16'
Diamond Plate 8" Kick Panel, LB 20'
Diamond Plate 8" Kick Panel, LB 22' / LBHD22'
Diamond Plate 8" Kick Panel, LB 24' / LBHD24'
Diamond Plate 8" Kick Panel, LB 28' / LBHD28'

DIAMOND PLATE ON WALL OPTIONS (RECOMMEND QUICKSLIDE ON WALLS)

Diamond Plate on Walls (24" High), 14'
Diamond Plate on Walls (24" High), 16'
Diamond Plate on Walls (24" High), 18'
Diamond Plate on Walls (24" High), 20'
Diamond Plate on Walls (24" High), 22'
Diamond Plate on Walls (24" High), 24'
Diamond Plate on Walls (24" High), 28'

QUICKSLIDE ON WALL OPTIONS

Quickslide on Walls Above Kick Panel, 14'
Quickslide on Walls Above Kick Panel, 16'
Quickslide on Walls Above Kick Panel, 18'
Quickslide on Walls Above Kick Panel, 20'
Quickslide on Walls Above Kick Panel, 22'
Quickslide on Walls Above Kick Panel, 24'
Quickslide on Walls Above Kick Panel, 28'
Quickslide on Walls Below Kick Panel, 14'
Quickslide on Walls Below Kick Panel, 16'
Quickslide on Walls Below Kick Panel, 18'
Quickslide on Walls Below Kick Panel, 20'
Quickslide on Walls Below Kick Panel, 22'
Quickslide on Walls Below Kick Panel, 24'
Quickslide on Walls Below Kick Panel, 28'

QUICKSLIDE DOWN MIDDLE OPTIONS (3RD ROW - LB)

Quickslide Down Middle, 16'

Quickslide Down Middle, 20'

Quickslide Down Middle, 22'

Quickslide Down Middle, 24'

Quickslide Down Middle, 28'

ELECTRICAL / LIGHT OPTIONS**POWER SUPPLIES**

12V-15A Basic Converter Package (No Lights; Must Choose Battery Option)

12V-15A Premium Converter Package (No Lights; Must Choose Battery Option)

12V-20A Premium Converter Package (No Lights; Must Choose Battery Option)

12V-30A Premium Converter Package (No Lights; Must Choose Battery Option)

Pass-Thru, 15AMP

Pass-Thru, 20AMP

BATTERY OPTIONS

Battery, Standard (8W)

Battery, Standard (7W)

Battery, Double Box Standard (8W)

Battery, w/V Cabinet Location Standard (8W)

OUTLETS

(1) 110V Decora Wall Outlet

(1) 110V Decora Cove Outlet

Exterior Outlet w/Interior Outlet

INTERIOR LIGHTING 12V

(2) LED Dome Lights; Roof; 920 Lumens Per Light

(12) LED Round Lights; Roof (Must Have Ceiling)

(4) Rectangle LED Lights; Roof; 2100 Lumens Per Light

(2) 16' LED Strip Lights; Roof; 1068 Lumens Per Light

(4 Per Side) LED Round Lights; Cove

(1 Per Side) 16' LED Strip Lights; Cove; 1068 Lumens Per Strip

Cove Pans: Use w/Cove Light Kit & No Interior, 14'

Cove Pans: Use w/Cove Light Kit & No Interior, 16'

Cove Pans: Use w/Cove Light Kit & No Interior, 18'

Cove Pans: Use w/Cove Light Kit & No Interior, 20'

Cove Pans: Use w/Cove Light Kit & No Interior, 22'

Cove Pans: Use w/Cove Light Kit & No Interior, 24'

Cove Pans: Use w/Cove Light Kit & No Interior, 28'

EXTERIOR LIGHTING 12V

(1) 1x3 LED Load Light w/Switch; Centered Above Man Door

(1) 1x3 LED Load Light w/Switch; Centered Above Front Ramp Door

(1) 1x3 LED Load Light w/Switch; Centered Above Rear Ramp Door

(2) 1x3 LED Load Light w/Switch; Corners Above Rear Ramp Door

LED Load Light; Front or Rear Ramp Door Spring Pan Location w/Switch (Must Order Interior)

Exterior Scene Lights w/Switch (2 Lights on CS; 2500 Lumens Per Light)

Exterior Scene Lights w/Switch (2 Lights on CS; 1400 Lumens Per Light)

Rear Back Up Light (Includes 2 Lights; 1400 Lumens Per Light)

Clear Exterior Lights w/Rear Load (500 Lumens Per Light)

Backup Light w/LED Upgrade (XT Series)

Backup Light w/LED Upgrade (Prestige, LB, LBHD)

LIGHTING SWITCHES / CIRCUITS

(1) 3-Way Circuit 12V

(2) 3-Way Circuit 12V

(3) 3-Way Circuit 12V

(1) 2-Way Switched Light Circuit (12V)

(2) 2-Way Switched Light Circuits (12V)

(3) 2-Way Switched Light Circuits (12V)

Auto-On Door Switch (12V; Cannot be Combined w/3-Way Circuit)

Single Switch Wired to Aux Light as Load Light

POWER ACCESSORIES

30 Amp Power Cord, 25'

Battery Charger / Tender Kit (Not Available w/11383 or 11384)

Charging Center Kit (Placed In Premium Converter or Inside Nose)

Solar Charger (Battery Trickle Charger)

HVAC

Prep for A/C Unit (7W; Extra Roof Bows & Run Power Wire)

Prep for A/C Unit (8W; Extra Roof Bows & Run Power Wire)

AC Roof 13.5K BTU (7W; Includes 10464; Must Order w/11384-20 or 11384-30)

AC Roof 13.5K BTU (8W; Includes 10441; Must Order w/11384-20 or 11384-30)

LP Furnace 35K BTU; White (Requires 11383-15 Converter or Higher & Quad Floor)

LP Furnace 35K BTU; Black (Requires 11383-15 Converter or Higher & Quad Floor)

Floor Drain

MULTI-COLOR EXTERIOR SKIN

Multi-Color (6' High)

Multi-Color (6'6" High)

Multi-Color (7' High)

Multi-Color (7'6" High)

Multi-Color (6'6" High; Lowboy)

Multi-Color, 7' High; Lowboy)

Multi-Color (7'6" High; Lowboy)

VENTS

Roof Vent - Field Install

Roof Vent - Factory Install

Roof Vent w/Fan - Factory Install

Roof Vent w/Fan (Fantastic Fan) - Factory Install

Side Vents (Pair) - Factory Install

Roof Vent Cover

ANODIZED SKIRT

12" High Anodized Skirt, 14'

12" High Anodized Skirt, 16'

12" High Anodized Skirt, 18'

12" High Anodized Skirt, 20'

12" High Anodized Skirt, 22'

12" High Anodized Skirt, 24'

12" High Anodized Skirt, 28'

16" High Anodized Skirt, 14'

16" High Anodized Skirt, 16'

16" High Anodized Skirt, 18'

16" High Anodized Skirt, 20'

16" High Anodized Skirt, 22'

16" High Anodized Skirt, 24'

16" High Anodized Skirt, 28'

EXTERIOR OPTIONS

Stabilizer Scissor Jack (Pair w/Handle)

(2) Rear Frame Rollers (Standard on LB & LBHD)

Roof Rack Kit (Sold Individually)

Electric Tongue Jack Option (12V Auxiliary Battery Recommended)

Upgrade to Flat Pad Jack

UPGRADED EXTERIOR SKIN

3' High Diamond Plate Stone Guard

4' High Diamond Plate Stone Guard

Diamond Plate to Top of V-Nose

.040 Exterior Skin, 14'

.040 Exterior Skin, 16'

.040 Exterior Skin, 18'

.040 Exterior Skin, 20'

.040 Exterior Skin, 22'

.040 Exterior Skin, 24'

.040 Exterior Skin, V-Front Only

.050 Exterior Skin, 14'

.050 Exterior Skin, 16'

.050 Exterior Skin, 18'

.050 Exterior Skin, 20'

.050 Exterior Skin, 22'

.050 Exterior Skin, 24'

.050 Exterior Skin, V-Front Only

.078 PolyCOR Exterior Skin, 10'

.078 PolyCOR Exterior Skin, 12'

.078 PolyCOR Exterior Skin, 14'

.078 PolyCOR Exterior Skin, 16'

.078 PolyCOR Exterior Skin, 18'

.078 PolyCOR Exterior Skin, 20'

.078 PolyCOR Exterior Skin, 24'

Note: PolyCOR available in White, Black & Charcoal; Call for .040 and .050 Color Availability

SIDE AWNING (STANDARD COLOR: ONYX)

16' Side Awning

18' Side Awning

20' Side Awning

Upgrade Awning Color: Black & White Checkered Flag

RACKS / CABINETS / SHELVES

Cabinet x32" - White

Cabinet x48" - White

Cabinet x48" - Black

Clothes Hanger Kit for 32" or 48" Helmet Cabinet

Wheel Well Cabinet, LB (White)

Wheel Well Cabinet, LB (Black)

Helmet Cabinet, 14"D x 49.5"W x 16" Framed (Black)

Base Cabinet, 16"D x 55"W x 36" Framed (Black)

Paper Towel Rack

Two-Shelf Oil Rack

Three-Shelf Combo Rack

Work Bench Shelf (41" Off Floor)

Folding Seat (17-1/4" Off Floor to Top of Seat; Cannot Put in Beavertail Location)

Jack-Knife Couch (Must Order Quickslide on Walls if Factory Installed; Cannot Put in Beavertail Location)

Workstation / Cabinet

Trimmer Rack Kit

Fuel Jug Rack Kit

Coat Rack

SPARE TIRE RACKS / CLOSET

Spare Tire Carrier (Diamond Plate)

Spare Tire Carrier (Hoop Style)

Tire Closet (7' Wide)

Tire Closet (8' Wide)

Tire Closet LB (Not Available on LB16)

Tire Closet Hinge Kit (Not Available on 7' Wide)

SPARE TIRES & UPGRADES

Tire Upgrade, #06193 14" Aluminum Rim (8' Wide; Tandem Axle)

Tire & Wheel, ST205/75R14 Alum OR TML

Tire & Wheel, ST205/75 R-14C Silver

Tire & Wheel, ST205/75R-15C Alum OR TML

Tire & Wheel, ST205/75 R15C Silver

Tire & Wheel, ST22575R15E Silver

Tire & Wheel, ST22575R15E Alum OR TML

Tire & Wheel, ST205/75 R-14C White (7' Wide)

Tire & Wheel, 175/R13D Alum (8' Wide) OR TML

Tire & Wheel, 175/R-13D White (8' Wide)

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST22575R15E White

TIE-DOWN KITS

Tie-Down Flush Mount Kit (Pair)

HD Tie-Downs (Each)

Quickslide Tie-Down Kit, Eyebolt (2 Pieces)

Quickslide Tie-Down Kit, Flush (2 Pieces)

Tie-Down Kit (4 Pieces)

Combo Companion Kit (8 Pieces)

Combo Quick Release Tie-Down Kit (4 Pieces)

Tie-Down Bar Stool Kit (2 Pair)

IN-FLOOR QUICKSLIDE NXT & VAULT MODELS

Quickslide in Floor, (2) Rows, 10'

Quickslide in Floor, (2) Rows, 12'

Quickslide in Floor, (2) Rows, 14'

Quickslide in Floor, (2) Rows, 16'

Quickslide in Floor, (2) Rows, 18'

Quickslide in Floor, (2) Rows, 20'

Quickslide in Floor, (2) Rows, 24'

Quickslide Tie-Down Kit, Eyebolt (2 Pieces)

Quickslide Tie Down Kit, Flush Mount (2 Pieces)

Quickslide Tie Down Kit, D-Ring 5/16" (2 Pieces)

Quickslide Tie Down Kit, D-Ring 3/8" (2 Pieces)

MOTORCYCLE ACCESSORIES

Quickslide Motorcycle Wheel Chock Kit (Requires Quickslide in Floor); Includes: (1) #03666 18" MCT Chock, (2) #08843 1/2-13 x 1 BHSCS Z/Y, (2) #07728 Keeper Block

Flush Mount Wheel Chock Option

CONTRACTOR ACCESSORIES

Heavy Duty Roof Mounted Ladder Rack (Each); NXT Version

Roof Rack Kit (Each); Vault Version

V-Nose Mounted Ladder

10' Catwalk w/3 Roof Racks & Ladder (NXT Only)

12' Catwalk w/3 Roof Racks & Ladder (NXT Only)

14' Catwalk w/4 Roof Racks & Ladder (NXT Only)

16' Catwalk w/4 Roof Racks & Ladder (NXT Only)

18' Catwalk w/5 Roof Racks & Ladder (NXT Only)

20' Catwalk w/6 Roof Racks & Ladder (NXT Only)

Upgrade to Roller on Rear Ladder Rack (NXT Only)

Swing Door-Mounted Rear Stowable Ramps; Kit Includes Extra Hinges for Swing Doors, (2) 26" x 72" Ramps, & Ramp Lock Tray

JACKS & JACK ACCESSORIES

Stabilizer Jacks (Pair)

AH Premium Bogey Wheels (Pair)

Scissor Jacks (Camper Style, Pair)

Upgrade to 8000# Pedestal Jack

ROCKY MOUNTAIN EDITION PACKAGE

Rocky Mountain Edition Features: Quad Ply Decking Box; Front Ramp & Rear Ramp; Quad-Ply Kick Plate; White Lauan Interior; Insulated Walls & Ceiling; Combo Wall w/(2) Upper Rows & (1) Lower Row (Includes V-Nose); Additional Side Access Door; 48" Furnace Box; 40,000 BTU Furnace; Safety Kit; HD Propane Tank Mount; 40# Propane Tank; 36" Heat Duct; (2) 48" Deluxe Overhead Cabinets (09257 White or Black); 60A Breaker Panel w/Converter (Housed in Furnace Box); 30A Motor Base Plug; (2) 3-Way Switches; GFCI Wall Receptacle; Standard Wall Receptacle; (2) USB Wall Receptacles; Marine Grade Battery & Box; (12) LED Puck Lights; (4) Sets of Wall Coat Hangers; (2) Sets of Ceiling Mounted Hangers; Spare Tire Carrier; (2) Fold-Out Bench Seats; & Custom RME Decals

ROCKY MOUNTAIN EDITION

RME-16' PR, LB, & NXT LB (No Additional Door, (1) OH Cabinet, (1) Bench Seat)

RME-18' PR, LB, & NXT LB (No Additional Door, (1) OH Cabinet, (1) Bench Seat)

RME-20' PR, LB, & NXT LB

RME-22' PR, LB, & NXT LB

RME-24' PR, LB, & NXT LB

RME-28' PR, LB, & NXT LB

ROCKY MOUNTAIN EDITION ADD-ONS

Ducted Wall Mounted Boot / Glove Dryer Tree (8 Slots)

ARCTIC ADVENTURE HEATER PACKAGE

Arctic Adventure Package Features: White Lauan Interior; Insulated Walls and Ceiling; 48" Furnace Box; 40,000 BTU Furnace; Safety Kit; HD Propane Tank Mount; 40# Propane Tank; 36" Heat Duct; Deluxe Overhead Cabinet (09257 White or Black); 15A Motor Base Plug; 12V Converter; (3) Sets of Wall Mounted Coat Hangers

ARCTIC ADVENTURE HEATER

AAHP-14' PR

AAHP-16' PR, LB, & NXT LB

AAHP-18' PR, LB, & NXT LB

AAHP-20' PR, LB, & NXT LB

AAHP-22' PR, LB, & NXT LB

AAHP-24' PR, LB, & NXT LB

AAHP-28' PR, LB, & NXT LB

ADDITIONAL LIGHT OPTIONS

DESCRIPTION

Light, 2 1/2" Round Amber Clearance

Light, 2 1/2" Round Red Clearance

Grommet, 2 1/2" Round

Bracket, License Plate Light Kit

Tail Light, Oval

Bracket, License Plate (Plastic)

Light, 2" Round Red Clearance

Grommet, 2" Round

Lens, Side and Tail - LXT/XTV

Reflector, Amber

Light, 2" Round Amber Clearance

Grommet, Rectangle Clearance Light

Light, Rectangle License Plate, Clear

Reflector, Red

Grommet, Oval Tail

Light, Rectangle Clearance, Red

Light, Rectangle Clearance, Amber

Tail Light, RH (LXT/XTV/DOP)

Tail Light, LH (LXT/XTV/DOP)

Reflector, Amber - AUT

Light, ID Bar

Light, 2 1/2" Round Red Clearance - WCII

Grommet, 2 1/2" Closed Black

Amber Clearance Light - WAVE (2015)

Red Clearance Light - WAVE (2015)

DESCRIPTION

Light, Rect. Clearance Red - Enc.

Light, Rect. Clearance Amber - Enc.

Bracket, W/180 Bullet - (07846/07847)

LED Light, 2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Amber

LED Light, Oval Tail Light

Light, Clearance Amber STICKON - LXT

Lens, Amber LXT

LED Light, Clearance - 4" Rec. Red - Enc.

LED Light, Clearance - 4" Rec. Amber - Enc.

LED Light, Clearance - 2 1/2" Rec. Red - Enc.

LED Light, Clearance - 2 1/2" Red - Super 10

LED Light, Clearance - 2" Round, Amber

LED Light, Clearance Rect., Amber

Light, Halogen

Light, Fender Clearance Combo

LED Light, License Plate

LED Light, Round White Flush Mount

LED Tail Light, Bar w/Reflex

LED Marker Light, Bullet Red W/Grom

LED Marker Light, Bullet Amber W/Grom

Tail Light Bar LED - Vault/Enc.

LED, CID Bar

Tail Light Oval LED - WAVE

ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS