

# UTILITY/ATV/UTV CH/EHHD SERIES

CH18, CH20, CH22, EHHD18, EHHD20, & EHHD22

**TRITON**  
TRAILERS



## CH18

### STANDARD FEATURES

- › (2) 3750# Rubber Torsion Axle w/ Bearing Lube Hubs
- › 10" Electric Brakes both Axles w/ Breakaway Kit
- › #13104 ST205/75R15D White Radial Tire/Rim (2150# Cap/Tire)
- › Aluminum Diamond Plate Fenders w/ Drivers Side Fender Removable
- › Extruded Aluminum Floor
- › A-Frame Aluminum Tongue, 48" Long w/ 2-5/16" Coupler
- › (2) 6' Aluminum Ramps Stored Up Front to Protect from Stone & Road Debris
- › Rub Rail Welded to Stake Pockets on Sides in Front of Fenders
- › (2) Rear Stabilizers Which Store in Rear of Trailer
- › (4) 1/2" Forged D-Rings w/ 3/8" Carriage Bolt Mount - 5000# Capacity
- › Tongue Jack with Plate - 2000# Capacity
- › DOT Lighting Package, Safety Chains
- › Distance Between Fenders: 81-1/4"
- › Deck Width 101-1/2" in Front of Fenders, 81-1/4" Behind Fenders
- › LED Lights
- › 5 Year Limited Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	CH18 FRAME ASSEMBLY ONLY	8.5x18	8.5x18
Model Number	CH18-FRAME	CH18-SM	CH18-A
Subframe	2"x5"	2"x5"	2"x5"
Floor Crossmembers	20" OC	20" OC	20" OC
Deck (WxL)	101"x216"	101"x216"	101"x216"
Overall (WxL)	102"x268"	102"x268"	102"x268"
Deck Height	23"	23"	23"
Hitch Height	19.5"	19.5"	19.5"
Axle(s) - Qty/Rating	2-3750# Braked	2-3750# Braked	2-3750# Braked
GVWR	7500#	7500#	7500#
Wheels	--	15" Silver Mod	15" Aluminum
Tires	--	ST205/75R15D	ST205/75R15D
Power Connection	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	10000# / 2-5/16	10000# / 2-5/16	10000# / 2-5/16
Jack	2000# Tongue Jack	2000# Tongue Jack	2000# Tongue Jack
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1480#	1480#	1480#
Payload	6020#	6020#	6020#
Ramp Standard	Yes	Yes	Yes
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity with Brakes (lb.)	6,020 lb	6,020 lb	6,020 lb
GVWR with Brakes (lb.)	7,500 lb	7,500 lb	7,500 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear
Brake Options	Electric 2 Axles	Electric 2 Axles	Electric 2 Axles

**CH18** *continued*

**OPTIONS & ACCESSORIES**

**Options**

Kit, Quickslide Tie Down - Eyebolt (2 PCS)

Kit, Quickslide Tie Down - Flush Mount (2 pcs)

3/8" Tie Down Kit (4 pcs)

3/8" D-Ring Tie Down Kit (4 pcs)

Storage Box AUX Beavertail

Electric Winch Kit, Hauler (Battery, Customer Supplied)

Tire & Wheel, ST205/75R15D5 Aluminum

Spare Tire Carrier Kit (On Tongue)

Power Jack Kit, Hauler (Battery, Customer Supplied)

Kit, Wheel Stop, Hauler

Hauler Tire Rack Kit

Bi-Fold Ramp Kit, Hauler

Bulkhead Rack Kit, Hauler

"Kit, Carriage Bolt Tie Down - D-Ring 5/16"

(2 pcs) "

HD Long Bi-Fold Ramp w/ HD Ramp Arm Kit

**CH20**
**STANDARD FEATURES**

- > (2) 3750# Rubber Torsion Axle w/ Bearing Lube Hubs

Drivers Side Fender Removable

Sides in Front of Fenders

> Distance Between Fenders: 81-1/4"
- > 10" Electric Brakes both Axles w/ Breakaway Kit

> Extruded Aluminum Floor

> (2) Rear Stabilizers Which Store in Rear of Trailer

> Deck Width 101-1/2" in Front of Fenders, 81-1/4" Behind Fenders
- > #13104 ST205/75R15D White Radial Tire/Rim (2150# Cap/Tire)

> A-Frame Aluminum Tongue, 48" Long w/ 2-5/16" Coupler

> (4) 1/2" Forged D-Rings w/ 3/8" Carriage Bolt Mount - 5000# Capacity

> LED Lights
- > Aluminum Diamond Plate Fenders w/

> (2) 6' Aluminum Ramps Stored Up Front to Protect from Stone & Road Debris

> Tongue Jack with Plate - 2000# Capacity

> 5 Year Limited Warranty
- > Rub Rail Welded to Stake Pockets on

> DOT Lighting Package, Safety Chains

**STANDARD SPECIFICATIONS**

TRAILER MODEL	CH20 FRAME ASSEMBLY ONLY	8.5x20	8.5x20
Model Number	CH20-FRAME	CH20-SM	CH20-A
Subframe	2"x5"	2"x5"	2"x5"
Floor Crossmembers	20" OC	20" OC	20" OC
Deck (WxL)	101"x240"	101"x240"	101"x240"
Overall (WxL)	102"x292"	102"x292"	102"x292"
Deck Height	23"	23"	23"
Hitch Height	19.5"	19.5"	19.5"
Axle(s) - Qty/Rating	2-3750# Braked	2-3750# Braked	2-3750# Braked
GVWR	7500#	7500#	7500#
Wheels	--	15" Silver Mod	15" Aluminum
Tires	--	ST205/75R15D	ST205/75R15D
Power Connection	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	10000# / 2-5/16	10000# / 2-5/16	10000# / 2-5/16
Jack	2000# Tongue Jack	2000# Tongue Jack	2000# Tongue Jack
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1600#	1600#	1600#
Payload	5900#	5900#	5900#
Ramp Standard	Yes	Yes	Yes
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity with Brakes (lb.)	5,900 lb	5,900 lb	5,900 lb
GVWR with Brakes (lb.)	7,500 lb	7,500 lb	7,500 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear
Brake Options	Electric 2 Axles	Electric 2 Axles	Electric 2 Axles

**OPTIONS & ACCESSORIES**

Options	
Kit, Quickslide Tie Down - Eyebolt (2 PCS)	Power Jack Kit, Hauler (Battery, Customer Supplied)
Kit, Quickslide Tie Down - Flush Mount (2 pcs)	Kit, Wheel Stop, Hauler
3/8" Tie Down Kit (4 pcs)	Hauler Tire Rack Kit
3/8" D-Ring Tie Down Kit (4 pcs)	Bi-Fold Ramp Kit, Hauler
Storage Box AUX Beavertail	Bulkhead Rack Kit, Hauler
Electric Winch Kit, Hauler (Battery, Customer Supplied)	"Kit, Carriage Bolt Tie Down - D-Ring 5/16""
Tire & Wheel, ST205/75R15D5 Aluminum	(2 pcs) "
Spare Tire Carrier Kit (On Tongue)	HD Long Bi-Fold Ramp w/ HD Ramp Arm Kit

**CH22**
**STANDARD FEATURES**

- > (2) 3750# Rubber Torsion Axle w/ Bearing Lube Hubs
  - > 10" Electric Brakes both Axles w/ Breakaway Kit
  - > #13104 ST205/75R15D White Radial Tire/Rim (2150# Cap/Tire)
  - > Aluminum Diamond Plate Fenders w/ Drivers Side Fender Removable

- > Extruded Aluminum Floor
  - > A-Frame Aluminum Tongue, 48" Long w/ 2-5/16" Coupler
  - > (2) 6' Aluminum Ramps Stored Up Front to Protect from Stone & Road Debris
  - > Rub Rail Welded to Stake Pockets on Sides in Front of Fenders

- > (2) Rear Stabilizers Which Store in Rear of Trailer
  - > (4) 1/2" Forged D-Rings w/ 3/8" Carriage Bolt Mount - 5000# Capacity
  - > Tongue Jack with Plate - 2000# Capacity
  - > DOT Lighting Package, Safety Chains

- > Distance Between Fenders: 81-1/4"
  - > Deck Width 101-1/2" in Front of Fenders, 81-1/4" Behind Fenders
  - > LED Lights
  - > 5 Year Limited Warranty

**STANDARD SPECIFICATIONS**

TRAILER MODEL	CH22 FRAME ASSEMBLY ONLY	8.5x22	8.5x22
Model Number	CH22-FRAME	CH22-SM	CH22-A
Subframe	2"x5"	2"x5"	2"x5"
Floor Crossmembers	20" OC	20" OC	20" OC
Deck (WxL)	101"x264"	101"x264"	101"x264"
Overall (WxL)	102"x316"	102"x316"	102"x316"
Deck Height	23"	23"	23"
Hitch Height	19.5"	19.5"	19.5"
Axle(s) - Qty/Rating	2-3750# Braked	2-3750# Braked	2-3750# Braked
GVWR	7500#	7500#	7500#
Wheels	--	15" Silver Mod	15" Aluminum
Tires	--	ST205/75R15D	ST205/75R15D
Power Connection	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	10000# / 2-5/16	10000# / 2-5/16	10000# / 2-5/16
Jack	2000# Tongue Jack	2000# Tongue Jack	2000# Tongue Jack
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1720#	1720#	1720#
Payload	5780#	5780#	5780#
Ramp Standard	Yes	Yes	Yes
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity with Brakes (lb.)	5,780 lb	5,780 lb	5,780 lb
GVWR with Brakes (lb.)	7,500 lb	7,500 lb	7,500 lb
Loading Style	Side/Rear	Side/Rear	Side/Rear
Brake Options	Electric 2 Axles	Electric 2 Axles	Electric 2 Axles

**OPTIONS & ACCESSORIES**

Options	
Kit, Quickslide Tie Down - Eyebolt (2 PCS)	Power Jack Kit, Hauler (Battery, Customer Supplied)
Kit, Quickslide Tie Down - Flush Mount (2 pcs)	Kit, Wheel Stop, Hauler
3/8" Tie Down Kit (4 pcs)	Hauler Tire Rack Kit
3/8" D-Ring Tie Down Kit (4 pcs)	Bi-Fold Ramp Kit, Hauler
Storage Box AUX Beavertail	Bulkhead Rack Kit, Hauler
Electric Winch Kit, Hauler (Battery, Customer Supplied)	"Kit, Carriage Bolt Tie Down - D-Ring 5/16""
Tire & Wheel, ST205/75R15D5 Aluminum	(2 pcs) "
Spare Tire Carrier Kit (On Tongue)	HD Long Bi-Fold Ramp w/ HD Ramp Arm Kit

## EHHD18

### STANDARD FEATURES

- > (2) 5200# Rubber Torsion Axle w/ Bearing Lube Hubs
- > 12" Electric Brakes both Axles w/ Breakaway Kit
- > #14397 ST225/75R15D White Radial Tire/Rim (2860# Cap/Tire)
- > Aluminum Diamond Plate Fenders w/ Drivers Side Fender Removable
- > Extruded Aluminum Floor
- > A-Frame Aluminum Tongue, 48" Long w/ 2-5/16" Coupler
- > Heavy Duty Bi-Fold Rear Ramp
- > Rub Rail Welded to Stake Pockets on Sides in Front of Fenders
- > (4) 1/2" Forged D-Rings w/ 3/8" Carriage Bolt Mount - 5000# Capacity
- > Tongue Jack with Plate - 5000# Capacity
- > DOT Lighting Package, Safety Chains
- > Distance Between Fenders: 81-1/4"
- > Deck Width 99-1/2" in Front of Fenders, 81-1/4" Behind Fenders
- > LED Lights
- > 5 Year Limited Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	EHHD18 FRAME ASSEMBLY ONLY	8.5x18	8.5x18
Model Number	EHHD18-FRAME	EHHD18-SM	EHHD18-A
Subframe	2"x5"	2"x5"	2"x5"
Floor Crossmembers	20" OC	20" OC	20" OC
Deck (WxL)	101"x216"	101"x216"	101"x216"
Overall (WxL)	102"x286"	102"x286"	102"x286"
Deck Height	24"	24"	24"
Hitch Height	20"	20"	20"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
GVWR	9995#	9995#	9995#
Wheels	--	15" Silver Mod	15" Aluminum
Tires	--	ST225/75R15E	ST225/75R15E
Power Connection	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	10000# / 2-5/16	10000# / 2-5/16	10000# / 2-5/16
Jack	5000# Tongue Jack	5000# Tongue Jack	5000# Tongue Jack
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	1810#	1810#	1810#
Payload	8185#	8185#	8185#
Ramp Standard	Yes	Yes	Yes
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity with Brakes (lb.)	8,185 lb	8,185 lb	8,185 lb
GVWR with Brakes (lb.)	9,995 lb	9,995 lb	9,995 lb
Loading Style	Rear	Rear	Rear
Brake Options	Electric 2 Axles	Electric 2 Axles	Electric 2 Axles

### OPTIONS & ACCESSORIES

Options	
Tire & Wheel, ST225/75R15E Aluminum	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Tire & Wheel, ST225/75R15E White	Power Jack Kit, Hauler (Battery, Customer Supplied)
Spare Tire Carrier Kit	Kit, Wheel Stop, Hauler
HD Long Bi-Fold Ramp w/ HD Ramp Arm Kit	Hauler Tire Rack Kit
Storage Box AUX Beavertail	Bi-Fold Ramp Kit, Hauler
	Bulkhead Rack Kit, Hauler

## EHHD20

### STANDARD FEATURES

- > (2) 5200# Rubber Torsion Axle w/ Bearing Lube Hubs
- > 12" Electric Brakes both Axles w/ Breakaway Kit
- > #14397 ST225/75R15D White Radial Tire/Rim (2860# Cap/Tire)
- > Aluminum Diamond Plate Fenders w/ Drivers Side Fender Removable
- > Extruded Aluminum Floor
- > A-Frame Aluminum Tongue, 48" Long w/ 2-5/16" Coupler
- > Heavy Duty Bi-Fold Rear Ramp
- > Rub Rail Welded to Stake Pockets on Sides in Front of Fenders
- > (4) 1/2" Forged D-Rings w/ 3/8" Carriage Bolt Mount - 5000# Capacity
- > Tongue Jack with Plate - 5000# Capacity
- > DOT Lighting Package, Safety Chains
- > Distance Between Fenders: 81-1/4"
- > Deck Width 99-1/2" in Front of Fenders, 81-1/4" Behind Fenders
- > LED Lights
- > 5 Year Limited Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	EHHD20 FRAME ASSEMBLY ONLY	8.5x20	8.5x20
Model Number	EHHD20-FRAME	EHHD20-SM	EHHD20-A
Subframe	2"x5"	2"x5"	2"x5"
Floor Crossmembers	20" OC	20" OC	20" OC
Deck (WxL)	101"x240"	101"x240"	101"x240"
Overall (WxL)	102"x310"	102"x310"	102"x310"
Deck Height	24"	24"	24"
Hitch Height	20"	20"	20"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
GVWR	9995#	9995#	9995#
Wheels	--	15" Silver Mod	15" Aluminum
Tires	--	ST225/75R15E	ST225/75R15E
Power Connection	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	10000# / 2-5/16	10000# / 2-5/16	10000# / 2-5/16
Jack	5000# Tongue Jack	5000# Tongue Jack	5000# Tongue Jack
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	2010#	2010#	2010#
Payload	7985#	7985#	7985#
Ramp Standard	Yes	Yes	Yes
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity with Brakes (lb.)	7,985 lb	7,985 lb	7,985 lb
GVWR with Brakes (lb.)	9,995 lb	9,995 lb	9,995 lb
Loading Style	Rear	Rear	Rear
Brake Options	Electric 2 Axles	Electric 2 Axles	Electric 2 Axles

### OPTIONS & ACCESSORIES

Options	
Tire & Wheel, ST225/75R15E Aluminum	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Tire & Wheel, ST225/75R15E White	Power Jack Kit, Hauler (Battery, Customer Supplied)
Spare Tire Carrier Kit	Kit, Wheel Stop, Hauler
HD Long Bi-Fold Ramp w/ HD Ramp Arm Kit	Hauler Tire Rack Kit
Storage Box AUX Beavertail	Bi-Fold Ramp Kit, Hauler
	Bulkhead Rack Kit, Hauler

### EHHD22

### STANDARD FEATURES

- > (2) 5200# Rubber Torsion Axle w/ Bearing Lube Hubs
- > 12" Electric Brakes both Axles w/ Breakaway Kit
- > #14397 ST225/75R15D White Radial Tire/Rim (2860# Cap/Tire)
- > Aluminum Diamond Plate Fenders w/ Drivers Side Fender Removable
- > Extruded Aluminum Floor
- > A-Frame Aluminum Tongue, 48" Long w/ 2-5/16" Coupler
- > Heavy Duty Bi-Fold Rear Ramp
- > Rub Rail Welded to Stake Pockets on Sides in Front of Fenders
- > (4) 1/2" Forged D-Rings w/ 3/8" Carriage Bolt Mount - 5000# Capacity
- > Tongue Jack with Plate - 5000# Capacity
- > DOT Lighting Package, Safety Chains
- > Distance Between Fenders: 80-3/4"
- > Deck Width 99-1/2" in Front of Fenders, 81-1/4" Behind Fenders
- > LED Lights
- > 5 Year Limited Warranty

### STANDARD SPECIFICATIONS

TRAILER MODEL	EHHD22 FRAME ASSEMBLY ONLY	8.5x22	8.5x22
Model Number	EHHD22-FRAME	EHHD22-SM	EHHD2-A
Subframe	2"x5"	2"x5"	2"x5"
Floor Crossmembers	20" OC	20" OC	20" OC
Deck (WxL)	101"x264"	101"x264"	101"x264"
Overall (WxL)	102"x334"	102"x334"	102"x334"
Deck Height	24"	24"	24"
Hitch Height	20"	20"	20"
Axle(s) - Qty/Rating	2-5200# Braked	2-5200# Braked	2-5200# Braked
GVWR	9995#	9995#	9995#
Wheels	--	15" Silver Mod	15" Aluminum
Tires	--	ST225/75R15E	ST225/75R15E
Power Connection	7-Way Round	7-Way Round	7-Way Round
Coupler Rating/Ball Size	10000# / 2-5/16	10000# / 2-5/16	10000# / 2-5/16
Jack	5000# Tongue Jack	5000# Tongue Jack	5000# Tongue Jack
Safety Chains	(2) 18,000#	(2) 18,000#	(2) 18,000#
Curb Weight	2210#	2210#	2210#
Payload	7785#	7785#	7785#
Ramp Standard	Yes	Yes	Yes
Tilt Bed	No	No	No
Carrying Capacity w/o Brakes (lb.)	N/A	N/A	N/A
GVWR w/o Brakes (lb.)	N/A	N/A	N/A
Carrying Capacity with Brakes (lb.)	7,785 lb	7,785 lb	7,785 lb
GVWR with Brakes (lb.)	9,995 lb	9,995 lb	9,995 lb
Loading Style	Rear	Rear	Rear
Brake Options	Electric 2 Axles	Electric 2 Axles	Electric 2 Axles

### OPTIONS & ACCESSORIES

Options	
Tire & Wheel, ST225/75R15E Aluminum	Electric Winch Kit, Hauler (Battery, Customer Supplied)
Tire & Wheel, ST225/75R15E White	Power Jack Kit, Hauler (Battery, Customer Supplied)
Spare Tire Carrier Kit	Kit, Wheel Stop, Hauler
HD Long Bi-Fold Ramp w/ HD Ramp Arm Kit	Hauler Tire Rack Kit
Storage Box AUX Beavertail	Bi-Fold Ramp Kit, Hauler
	Bulkhead Rack Kit, Hauler

# ADDITIONAL UTILITY OPTIONS

**FIT SERIES ACCESSORIES**

Tongue Jack

Quickslide Wheel Chock Kit (N/A Plank Models)

Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)

Kit, Quickslide Tie Down - Eyebolt (2 PCS)

**FIT 64" SERIES ACCESSORIES**

Kit, Wheel Stop 64

Kit, Side Rail 864 (Order with Wheel Stop 22359-64)

Kit, Side Rail 1064 (Order with Wheel Stop 22359-64)

Kit, Solid Front 64

Kit, Solid Front and Fence-Style Side 864

**FIT 72" SERIES ACCESSORIES**

Kit, Wheel Stop 72

Kit, Side Rail 1072 (Order with Wheel Stop 22359-72)

Kit, Side Rail 1272 (Order with Wheel Stop 22359-72)

Kit, Side Rail 1472 (Order with Wheel Stop 22359-72)

Kit, Solid Front 72

Kit, Solid Front and Fence-Style Side 1072

Kit, Solid Front and Fence-Style Side 1272

**FIT 81" SERIES ACCESSORIES**

Kit, Wheel Stop 81

Kit, Side Rail 1281 (Order with Wheel Stop 22359-81)

Kit, Side Rail 1481 (Order with Wheel Stop 22359-81)

Kit, Side Rail 1681 (Order with Wheel Stop 22359-81)

Kit, Solid Front 81

Kit, Solid Front and Fence-Style Side 1281

Kit, Solid Front and Fence-Style Side 1481

**FIT TILT SERIES ACCESSORIES**

Quickslide Tie Down Eyebolt Kit (1 Pair)

Quickslide Tie Down Kit (1 Pair)

3/8" Tie Down Kit (4 PCS)

3/8" D-Ring Tie Down Kit (4 PCS)

Kit, Wheel Stop 81

Wheel Stop Kit, Tilt72 (6" Above Deck)

Spare Tire Carrier Kit

Tall Stone Guard Kit, Tilt72 (Use With #16789)

**FIT SERIES ACCESSORIES (CONTINUED)**

Kit, Quickslide Tie Down - Flush Mount (2 PCS)

Kit, Quickslide Tie Down - D-Ring 5/16" (2 PCS)

Kit, Quickslide Tie Down - D-Ring 3/8" (2 PCS)

Kit, Spare Tire Carrier

**FIT 64" SERIES ACCESSORIES (CONTINUED)**

Kit, Solid Front and Fence-Style Side 1064

Kit, Short Solid Front and Side 864

Kit, Short Solid Front and Side 1064

Kit, Tall Solid Front and Side 864

Kit, Tall Solid Front and Side 1064

**FIT 72" SERIES ACCESSORIES (CONTINUED)**

Kit, Solid Front and Fence-Style Side 1472

Kit, Short Solid Front and Side 1072

Kit, Short Solid Front and Side 1272

Kit, Short Solid Front and Side 1472

Kit, Tall Solid Front and Side 1072

Kit, Tall Solid Front and Side 1272

Kit, Tall Solid Front and Side 1472

**FIT 81" SERIES ACCESSORIES (CONTINUED)**

Kit, Solid Front and Fence-Style Side 1681

Kit, Short Solid Front and Side 1281

Kit, Short Solid Front and Side 1481

Kit, Short Solid Front and Side 1681

Kit, Tall Solid Front and Side 1281

Kit, Tall Solid Front and Side 1481

Kit, Tall Solid Front and Side 1681

**FIT TILT SERIES ACCESSORIES (CONTINUED)**

Tall Stone Guard Kit, Tilt82 (Use With #19486)

Tall Single Side Rail Kit, Tilt1072 (Use With #16789)

Tall Single Side Rail Kit, Tilt1282 (Use With #19486)

Tall Single Side Rail Kit, Tilt1482 (Use With #19486)

Side Kit, Tilt1072

Side Kit, Tilt1282 - Includes #18607 Corner Post &amp; 11242 Pockets

Side Kit, Tilt1482 - Includes #18607 Corner Post &amp; 11242 Pockets



# ADDITIONAL UTILITY OPTIONS CONTINUED

## AUX SERIES ACCESSORIES

Quickslide Tie Down - Eyebolt

Quick Slide Tie Down

Wheel Chock Kit

Quickslide Wheel Chock Kit

3/8" D-Ring Tie Down Kit (4 PCS)

Electric Winch Kit, Hauser (Battery Not Included)

3/8" 5000# Tie Down Kit (2 PCS)

## AUX SERIES ACCESSORIES (CONTINUED)

HD Bi-Fold Ramp AUX

Kit, Utility Box AUX

Spare Tire Carrier Kit

HD Long Bi-Fold Ramp w/HD Ramp Arm Kit

Kit, Wheel Stop 81

Kit, HD Twin Ramp (Front Mount) (Use With #19266)

# ADDITIONAL LIGHT OPTIONS

**DESCRIPTION**

Light, 2 1/2" Round Amber Clearance

Light, 2 1/2" Round Red Clearance

Grommet, 2 1/2" Round

Bracket, License Plate Light Kit

Tail Light, Oval

Bracket, License Plate (Plastic)

Light, 2" Round Red Clearance

Grommet, 2" Round

Lens, Side and Tail - LXT/XTV

Reflector, Amber

Light, 2" Round Amber Clearance

Grommet, Rectangle Clearance Light

Light, Rectangle License Plate, Clear

Reflector, Red

Grommet, Oval Tail

Light, Rectangle Clearance, Red

Light, Rectangle Clearance, Amber

Tail Light, RH (LXT/XTV/DOP)

Tail Light, LH (LXT/XTV/DOP)

Reflector, Amber - AUT

Light, ID Bar

Light, 2 1/2" Round Red Clearance - WCII

Grommet, 2 1/2" Closed Black

Amber Clearance Light - WAVE (2015)

Red Clearance Light - WAVE (2015)

**DESCRIPTION**

Light, Rect. Clearance Red - Enc.

Light, Rect. Clearance Amber - Enc.

Bracket, W/180 Bullet - (07846/07847)

LED Light, 2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Amber

LED Light, Oval Tail Light

Light, Clearance Amber STICKON - LXT

Lens, Amber LXT

LED Light, Clearance - 4" Rec. Red - Enc.

LED Light, Clearance - 4" Rec. Amber - Enc.

LED Light, Clearance - 2 1/2" Rec. Red - Enc.

LED Light, Clearance - 2 1/2" Red - Super 10

LED Light, Clearance - 2" Round, Amber

LED Light, Clearance Rect., Amber

Light, Halogen

Light, Fender Clearance Combo

LED Light, License Plate

LED Light, Round White Flush Mount

LED Tail Light, Bar w/Reflex

LED Marker Light, Bullet Red W/Grom

LED Marker Light, Bullet Amber W/Grom

Tail Light Bar LED - Vault/Enc.

LED, CID Bar

Tail Light Oval LED - WAVE

# ADDITIONAL TIRE OPTIONS

## DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

## DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

## GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

## SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS