

UTILITY/ATV/UTV UT SERIES

UT12, UT12-2, UT16, & UT16-7

TRITON
TRAILERS



UT12

STANDARD FEATURES

- > All-Aluminum Construction
- > A-Frame Utility
- > Torsion Ride Suspension
- > (4) HD Tie Downs
- > Sealed LED Lights and Wiring
- > 5/8" Marine Grade Plywood & Extruded
- Aluminum Decking
- > (10) Stake Pockets
- > Tongue Jack
- > Stainless Steel Hardware
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	UT 81x144 FRAME ASSEMBLY ONLY	UT 81x144	UT 81x144
Model Number	UT12-FRAME	UT12-SM	UT12-A
Subframe	2"x4"	2"x4"	2"x4"
Floor Crossmembers	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"
Bed Width (in.)	81"	81"	81"
Bed Length (in.)	144"	144"	144"
Overall Width (in.)	101"	101"	101"
Overall Length (in.)	191"	191"	191"
Deck Height (in.)	21"	21"	21"
Hitch Height (in.)	17"	17"	17"
Axles(s) - Qty/Rating	1-3500# Idler	1-3500# Idler	1-3500# Idler
Carrying Capacity w/o Brakes (lb.)	2,215 lb	2,215 lb	2,215 lb
GVWR w/o Brakes (lb.)	2,995 lb	2,995 lb	2,995 lb
Carrying Capacity w/ Brakes (lb.)	2,720 lb	2,720 lb	2,720 lb
GVWR with Brakes (lb.)	3,500 lb	3,500 lb	3,500 lb
Wheels	--	14" Silver Mod	14" Aluminum
Tires	--	ST205/75D14C	ST205/7R14C
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat
Coupler Rating / Ball Size (.in)	5000# / 2"	5000# / 2"	5000# / 2"
Tongue Jack	1500# Tongue Jack	1500# Tongue Jack	1500# Tongue Jack
Safety Chains	(2) 5000#	(2) 5000#	(2) 5000#
Trailer Weight	780 lb	780 lb	780 lb
Loading Style	Rear	Rear	Rear

UT12 *continued*

OPTIONS & ACCESSORIES

AXLE OPTIONS	ADD-ON ACCESSORIES
Electric Brakes (One Axle)	Spare Tire Carrier Kit, UT
Surge Disc Brakes (One Axle)	3/8" D-Ring Tie Down Kit (4 pcs)
DOORS, RAMPS & COMPARTMENT OPTIONS	Winch Mount Kit, UT
Ramp Assembly Kit, UT12/16	Tie Down Mount Recessed
Ramp Assembly Kit, UT16-7	Tie Down Mount Flush
SIDE KIT OPTIONS	Quickslide Tiedown-Eyebolt
Side Kit, UT12 & UT12-2	Quick Slide Tie Down
Side Kit, UT16 & UT16-7	Wheel Chock Kit
	Heavy Duty Tie Down Kit, UT
	Quickslide Wheel Chock Kit **N/A on Plank Models**
	3/8" Tie Down Kit (4 pcs)
	Kit, Wheel Stop
	Kit, 1-3/8 Hub for Carrier
	Kit, Spare Tire Carrier Tall

UT12-2

STANDARD FEATURES

- > All-Aluminum Construction
- > Torsion Ride Suspension
- > (3) Quickslides
- > (4) Quickslide 5/16" D-Rings
- > Straight Ramp
- > Flush LED Lights
- > 1" Extruded Aluminum Decking
- > Aluminum Fenders
- > 2" A-Frame Coupler
- > 1200# Swivel Tongue Jack
- > Standard & Optional Tie Downs
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	UT 81x144 2 FRAME ASSEMBLY ONLY	UT 81x144 2	UT 81x144 2
Model Number	UT12-2-FRAME	UT12-2-SM	UT12-2-A
Subframe	2"x4"	2"x4"	2"x4"
Floor Crossmembers	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"
Bed Width (in.)	81"	81"	81"
Bed Length (in.)	144"	144"	144"
Overall Width (in.)	101"	101"	101"
Overall Length (in.)	191"	191"	191"
Deck Height (in.)	21"	21"	21"
Hitch Height (in.)	17"	17"	17"
Axles(s) - Qty/Rating	2- 3000# Idler	2- 3000# Idler	2- 3000# Idler
Carrying Capacity w/o Brakes (lb.)	2,095 lb	2,095 lb	2,095 lb
GVWR w/o Brakes (lb.)	2,995 lb	2,995 lb	2,995 lb
Carrying Capacity w/ Brakes (lb.)	5,100 lb	5,100 lb	5,100 lb
GVWR with Brakes (lb.)	6,000 lb	6,000 lb	6,000 lb
Wheels	--	14" Silver Mod	14" Aluminum
Tires	--	ST205/75D14C	ST205/7R14C
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat
Coupler Rating / Ball Size (.in)	5000# / 2"	5000# / 2"	5000# / 2"
Tongue Jack	1500# Tongue Jack	1500# Tongue Jack	1500# Tongue Jack
Safety Chains	(2) 5000#	(2) 5000#	(2) 5000#
Trailer Weight	900 lb	900 lb	900 lb
Loading Style	Rear	Rear	Rear

OPTIONS & ACCESSORIES

AXLE OPTIONS	ADD-ON ACCESSORIES
W/ 10" Electric Brakes (One Axle)	Spare Tire Carrier Kit, UT
W/ 10" Surge Disc Brakes (One Axle)	3/8" D-Ring Tie Down Kit (4 pcs)
W/ 10" Electric Brakes on Second Axle	Winch Mount Kit, UT
W/ 10" Surge Disc Brakes on Second Axle	Tie Down Mount Recessed
DOORS, RAMPS & COMPARTMENT OPTIONS	Tie Down Mount Flush
Ramp Assembly Kit, UT12/16	Quickslide Tiedown-Eyebolt
Ramp Assembly Kit, UT16-7	Quick Slide Tie Down
SIDE KIT OPTIONS	Wheel Chock Kit
Side Kit, UT12 & UT12-2	Heavy Duty Tie Down Kit, UT
Side Kit, UT16 & UT16-7	Quickslide Wheel Chock Kit **N/A on Plank Models**
	3/8" Tie Down Kit (4 pcs)
	Kit, Wheel Stop
	Kit, 1-3/8 Hub for Carrier
	Kit, Spare Tire Carrier Tall

UT16

STANDARD FEATURES

- > All-Aluminum Construction
- > Torsion Ride Suspension
- > (3) Quickslides
- > (4) Quickslide 5/16" D-Rings
- > Straight Ramp
- > Flush LED Lights
- > 1" Extruded Aluminum Decking
- > Aluminum Fenders
- > 2" A-Frame Coupler
- > 1200# Swivel Tongue Jack
- > Standard & Optional Tie Downs
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	UT 81x192 FRAME ASSEMBLY ONLY	UT 81x192	UT 81x192
Model Number	UT16-FRAME	UT16-SM	UT16-A
Subframe	2"x4"	2"x4"	2"x4"
Floor Crossmembers	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"
Bed Width (in.)	81"	81"	81"
Bed Length (in.)	192"	192"	192"
Overall Width (in.)	101"	101"	101"
Overall Length (in.)	238"	238"	238"
Deck Height (in.)	21"	21"	21"
Hitch Height (in.)	17"	17"	17"
Axles(s) - Qty/Rating	2- 3000# Idler	2- 3000# Idler	2- 3000# Idler
Carrying Capacity w/o Brakes (lb.)	1,995 lb	1,995 lb	1,995 lb
GVWR w/o Brakes (lb.)	2,995 lb	2,995 lb	2,995 lb
Carrying Capacity w/ Brakes (lb.)	5,000 lb	5,000 lb	5,000 lb
GVWR with Brakes (lb.)	6,000 lb	6,000 lb	6,000 lb
Wheels	--	14" Silver Mod	14" Aluminum
Tires	--	ST205/75D14C	ST205/7R14C
Power Connection	4-Way Flat	4-Way Flat	4-Way Flat
Coupler Rating / Ball Size (.in)	7500# / 2"	7500# / 2"	7500# / 2"
Tongue Jack	1500# Tongue Jack	1500# Tongue Jack	1500# Tongue Jack
Safety Chains	(2) 18000#	(2) 18000#	(2) 18000#
Trailer Weight	1,000 lb	1,000 lb	1,000 lb
Loading Style	Rear	Rear	Rear

OPTIONS & ACCESSORIES

AXLE OPTIONS	ADD-ON ACCESSORIES
W/ 10" Electric Brakes (One Axle)	Spare Tire Carrier Kit, UT
W/ 10" Surge Disc Brakes (One Axle)	3/8" D-Ring Tie Down Kit (4 pcs)
W/ 10" Electric Brakes on Second Axle	Winch Mount Kit, UT
W/ 10" Surge Disc Brakes on Second Axle	Tie Down Mount Recessed
DOORS, RAMPS & COMPARTMENT OPTIONS	Tie Down Mount Flush
Ramp Assembly Kit, UT12/16	Quickslide Tiedown-Eyebolt
Ramp Assembly Kit, UT16-7	Quick Slide Tie Down
SIDE KIT OPTIONS	Wheel Chock Kit
Side Kit, UT12 & UT12-2	Heavy Duty Tie Down Kit, UT
Side Kit, UT16 & UT16-7	Quickslide Wheel Chock Kit **N/A on Plank Models**
	3/8" Tie Down Kit (4 pcs)
	Kit, Wheel Stop
	Kit, 1-3/8 Hub for Carrier
	Kit, Spare Tire Carrier Tall

UT16-7

STANDARD FEATURES

- > All-Aluminum Construction
- > Torsion Ride Suspension
- > (3) Quickslides
- > (4) Quickslide 5/16" D-Rings
- > Straight Ramp
- > Flush LED Lights
- > 1" Extruded Aluminum Decking
- > Aluminum Fenders
- > 2" A-Frame Coupler
- > 1200# Swivel Tongue Jack
- > Standard & Optional Tie Downs
- > 5-Year Limited Warranty

STANDARD SPECIFICATIONS

TRAILER MODEL	UT 81x192 7 EB FRAME ASSEMBLY ONLY	UT 81x192 7 SBD FRAME ASSEMBLY ONLY	UT 81x192 7	UT 81x192 7	UT 81x192 7	UT 81x192 7
Model Number	UT16-7-FRAME-EB	UT16-7-FRAME-SBD	UT16-7-SM	UT16-7-SM2	UT16-7-A	UT16-7-A2
Subframe	--	--	2"x4"	2"x4"	2"x4"	2"x4"
Floor Crossmembers	--	--	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"	1-3/4"x3-1/4"
Bed Width (in.)	--	--	81"	81"	81"	81"
Bed Length (in.)	--	--	192"	192"	192"	192"
Overall Width (in.)	--	--	101"	101"	101"	101"
Overall Length (in.)	--	--	238"	238"	238"	238"
Deck Height (in.)	--	--	21"	21"	21"	21"
Hitch Height (in.)	--	--	17"	17"	17"	17"
Axles(s) - Qty/Rating	--	--	2-3700# Braked	2-3700# Braked	2-3700# Braked	2- 3000# Idler
Carrying Capacity w/o Brakes (lb.)	--	--	--	--	--	--
GVWR w/o Brakes (lb.)	--	--	--	--	--	--
Carrying Capacity w/ Brakes (lb.)	--	--	5,825 lb	5,825 lb	5,825 lb	5,825 lb
GVWR with Brakes (lb.)	--	--	7,000 lb	7,000 lb	7,000 lb	7,000 lb
Wheels	--	--	14" Silver Mod	14" Silver Mod	14" Aluminum	14" Aluminum
Tires	--	--	ST205/75D14C (EB1 Axle)	ST205/75D14C (SBD1 Axle)	ST205/7R14C (EB1 Axle)	ST205/75D14C (SBD1 Axle)
Power Connection	--	--	7-Way Round	7-Way Round	7-Way Round	7-Way Round
Coupler Rating / Ball Size (.in)	--	--	16000# / 2-5/16"	16000# / 2-5/16"	16000# / 2-5/16"	16000# / 2-5/16"
Tongue Jack	--	--	Tongue Jack	Tongue Jack	Tongue Jack	Tongue Jack
Safety Chains	--	--	18000#	18000#	18000#	18000#
Trailer Weight	--	--	1,175#	1,175#	1,175#	1,175#
Loading Style	--	--	Rear	Rear	Rear	Rear

OPTIONS & ACCESSORIES

AXLE OPTIONS	ADD-ON ACCESSORIES
W/ 10" Electric Brakes (One Axle)	Spare Tire Carrier Kit, UT
DOORS, RAMPS & COMPARTMENT OPTIONS	Kit, Spare Tire Carrier Tall
Ramp Assembly Kit, UT12/16	3/8" D-Ring Tie Down Kit (4 pcs)
Ramp Assembly Kit, UT16-7	Winch Mount Kit, UT
SIDE KIT OPTIONS	Tie Down Mount Recessed
Side Kit, UT12 & UT12-2	Tie Down Mount Flush
Side Kit, UT16 & UT16-7	Quickslide Tiedown-Eyebolt
	Quick Slide Tie Down
	Wheel Chock Kit
	Heavy Duty Tie Down Kit, UT
	Quickslide Wheel Chock Kit **N/A on Plank Models**
	3/8" Tie Down Kit (4 pcs)
	Kit, Wheel Stop
	Kit, 1-3/8 Hub for Carrier

ADDITIONAL UTILITY OPTIONS

FIT SERIES ACCESSORIES

Tongue Jack

Quickslide Wheel Chock Kit (N/A Plank Models)

Kit, Carriage Bolt Tie Down - D-Ring 5/16" (2 PCS)

Kit, Quickslide Tie Down - Eyebolt (2 PCS)

FIT 64" SERIES ACCESSORIES

Kit, Wheel Stop 64

Kit, Side Rail 864 (Order with Wheel Stop 22359-64)

Kit, Side Rail 1064 (Order with Wheel Stop 22359-64)

Kit, Solid Front 64

Kit, Solid Front and Fence-Style Side 864

FIT 72" SERIES ACCESSORIES

Kit, Wheel Stop 72

Kit, Side Rail 1072 (Order with Wheel Stop 22359-72)

Kit, Side Rail 1272 (Order with Wheel Stop 22359-72)

Kit, Side Rail 1472 (Order with Wheel Stop 22359-72)

Kit, Solid Front 72

Kit, Solid Front and Fence-Style Side 1072

Kit, Solid Front and Fence-Style Side 1272

FIT 81" SERIES ACCESSORIES

Kit, Wheel Stop 81

Kit, Side Rail 1281 (Order with Wheel Stop 22359-81)

Kit, Side Rail 1481 (Order with Wheel Stop 22359-81)

Kit, Side Rail 1681 (Order with Wheel Stop 22359-81)

Kit, Solid Front 81

Kit, Solid Front and Fence-Style Side 1281

Kit, Solid Front and Fence-Style Side 1481

FIT TILT SERIES ACCESSORIES

Quickslide Tie Down Eyebolt Kit (1 Pair)

Quickslide Tie Down Kit (1 Pair)

3/8" Tie Down Kit (4 PCS)

3/8" D-Ring Tie Down Kit (4 PCS)

Kit, Wheel Stop 81

Wheel Stop Kit, Tilt72 (6" Above Deck)

Spare Tire Carrier Kit

Tall Stone Guard Kit, Tilt72 (Use With #16789)

FIT SERIES ACCESSORIES (CONTINUED)

Kit, Quickslide Tie Down - Flush Mount (2 PCS)

Kit, Quickslide Tie Down - D-Ring 5/16" (2 PCS)

Kit, Quickslide Tie Down - D-Ring 3/8" (2 PCS)

Kit, Spare Tire Carrier

FIT 64" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1064

Kit, Short Solid Front and Side 864

Kit, Short Solid Front and Side 1064

Kit, Tall Solid Front and Side 864

Kit, Tall Solid Front and Side 1064

FIT 72" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1472

Kit, Short Solid Front and Side 1072

Kit, Short Solid Front and Side 1272

Kit, Short Solid Front and Side 1472

Kit, Tall Solid Front and Side 1072

Kit, Tall Solid Front and Side 1272

Kit, Tall Solid Front and Side 1472

FIT 81" SERIES ACCESSORIES (CONTINUED)

Kit, Solid Front and Fence-Style Side 1681

Kit, Short Solid Front and Side 1281

Kit, Short Solid Front and Side 1481

Kit, Short Solid Front and Side 1681

Kit, Tall Solid Front and Side 1281

Kit, Tall Solid Front and Side 1481

Kit, Tall Solid Front and Side 1681

FIT TILT SERIES ACCESSORIES (CONTINUED)

Tall Stone Guard Kit, Tilt82 (Use With #19486)

Tall Single Side Rail Kit, Tilt1072 (Use With #16789)

Tall Single Side Rail Kit, Tilt1282 (Use With #19486)

Tall Single Side Rail Kit, Tilt1482 (Use With #19486)

Side Kit, Tilt1072

Side Kit, Tilt1282 - Includes #18607 Corner Post & 11242 Pockets

Side Kit, Tilt1482 - Includes #18607 Corner Post & 11242 Pockets

ADDITIONAL UTILITY OPTIONS CONTINUED

AUX SERIES ACCESSORIES

Quickslide Tie Down - Eyebolt

Quick Slide Tie Down

Wheel Chock Kit

Quickslide Wheel Chock Kit

3/8" D-Ring Tie Down Kit (4 PCS)

Electric Winch Kit, Hauser (Battery Not Included)

3/8" 5000# Tie Down Kit (2 PCS)

AUX SERIES ACCESSORIES (CONTINUED)

HD Bi-Fold Ramp AUX

Kit, Utility Box AUX

Spare Tire Carrier Kit

HD Long Bi-Fold Ramp w/HD Ramp Arm Kit

Kit, Wheel Stop 81

Kit, HD Twin Ramp (Front Mount) (Use With #19266)

ADDITIONAL LIGHT OPTIONS

DESCRIPTION

Light, 2 1/2" Round Amber Clearance

Light, 2 1/2" Round Red Clearance

Grommet, 2 1/2" Round

Bracket, License Plate Light Kit

Tail Light, Oval

Bracket, License Plate (Plastic)

Light, 2" Round Red Clearance

Grommet, 2" Round

Lens, Side and Tail - LXT/XTV

Reflector, Amber

Light, 2" Round Amber Clearance

Grommet, Rectangle Clearance Light

Light, Rectangle License Plate, Clear

Reflector, Red

Grommet, Oval Tail

Light, Rectangle Clearance, Red

Light, Rectangle Clearance, Amber

Tail Light, RH (LXT/XTV/DOP)

Tail Light, LH (LXT/XTV/DOP)

Reflector, Amber - AUT

Light, ID Bar

Light, 2 1/2" Round Red Clearance - WCII

Grommet, 2 1/2" Closed Black

Amber Clearance Light - WAVE (2015)

Red Clearance Light - WAVE (2015)

DESCRIPTION

Light, Rect. Clearance Red - Enc.

Light, Rect. Clearance Amber - Enc.

Bracket, W/180 Bullet - (07846/07847)

LED Light, 2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Red

LED Light, 2 1/2" Round Clearance, Amber

LED Light, Oval Tail Light

Light, Clearance Amber STICKON - LXT

Lens, Amber LXT

LED Light, Clearance - 4" Rec. Red - Enc.

LED Light, Clearance - 4" Rec. Amber - Enc.

LED Light, Clearance - 2 1/2" Rec. Red - Enc.

LED Light, Clearance - 2 1/2" Red - Super 10

LED Light, Clearance - 2" Round, Amber

LED Light, Clearance Rect., Amber

Light, Halogen

Light, Fender Clearance Combo

LED Light, License Plate

LED Light, Round White Flush Mount

LED Tail Light, Bar w/Reflex

LED Marker Light, Bullet Red W/Grom

LED Marker Light, Bullet Amber W/Grom

Tail Light Bar LED - Vault/Enc.

LED, CID Bar

Tail Light Oval LED - WAVE

ADDITIONAL TIRE OPTIONS

DESCRIPTION

Tire & Wheel, 18.5X8C Silver

Tire & Wheel, 20.5X10C Silver

Tire & Wheel, ST175/80D13C Silver

Tire & Wheel, 4.80X8C Silver

Tire & Wheel, 5.30X12C Silver

Tire & Wheel, ST205/75R14 Alum.

Tire & Wheel, 4.80X12C Silver

Tire & Wheel, ST205/75D14 Silver

Tire & Wheel, ST175/80R13D White

Tire & Wheel, 20.5X10E Silver

Tire & Wheel, ST205/75D15C Silver

Tire & Wheel, ST145/R12E Silver

DESCRIPTION

Tire & Wheel, ST175/80R13D Alum.

Tire & Wheel, ST205/75 R15C White

Tire & Wheel, ST145/R12E Alum.

Tire & Wheel, ST225/75R15E Alum.

Tire & Wheel, ST205/75 R-15 D-5 White

Tire & Wheel, ST205/75R-15 D-5 Alum.

Tire & Wheel, ST175/80R13C Silver

Tire & Wheel, ST175/80R13C Alum (use 09475)

Tire & Wheel, ST205/75R14C Silver

Tire & Wheel, ST225/75R15E White

Tire & Wheel, 20.5X10E Alum. Gun Face

Tire & Wheel, 20.5X10E Alum. Gun Inlay

GALVANIZED TIRE/RIMS

Tire & Wheel, ST175/80D13C Galvanized

Tire & Wheel, 5.30X12C Galvanized

Tire & Wheel, 4.80X12C Galvanized

Tire & Wheel, ST145/R12E Galvanized

SPARE PARTS

Spare Tire Mount - U Bolt Style

Spare Tire Carrier

Hardware Kit For #22008 If Not Mounted to Jack

Acorn Lugnut (10/Bag)

Hub Cap End - ABS